MCCLENDON 10/772069 03/13/2007 Page 1

=> FILE REG

FILE 'REGISTRY' ENTERED AT 16:15:59 ON 13 MAR 2007 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 12 MAR 2007 HIGHEST RN 926069-79-6 DICTIONARY FILE UPDATES: 12 MAR 2007 HIGHEST RN 926069-79-6

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH December 2, 2006

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/ONLINE/UG/regprops.html

=> FILE HCAPL

FILE 'HCAPLUS' ENTERED AT 16:16:04 ON 13 MAR 2007 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 13 Mar 2007 VOL 146 ISS 12 FILE LAST UPDATED: 12 Mar 2007 (20070312/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> D QUE L66 L34

STR

 $Ak \sim Cb \sim N \sim Cb \sim Ak$ @12 13 14 15 @16

Cb~\N-\Cb @8 9 @10 $N \sim N \equiv C \sim G1 \sim C \equiv N \sim N$ 1 2 3 4 5 6 7

Hy @11

 $Ak \sim N \sim Cb$: @17 18 @19

VAR G1=11/8-3 10-5/12-3 16-5/17-3 19-5 NODE ATTRIBUTES: DEFAULT MLEVEL IS ATOM IS PCY UNS AT 11 GGCAT DEFAULT ECLEVEL IS LIMITED ECOUNT IS M1 N AT 11

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED NUMBER OF NODES IS 19

STEREO ATTRIBUTES: NONE

L36 L42

606 SEA FILE=REGISTRY SSS FUL L34

Hy 21

 $Ak \sim Cb \sim N \sim Cb \sim Ak$ @12 13 14 15 @16 Subset search 56 structures

606 structures from

Hy 20 Cb-\rightarrow N-\rightarrow Cb @8 9 @10

 $N \sim N = C \sim G1 \sim C = N \sim N$ 1 2 3 4 5 6 7

Hy @11

Ak~N~Cb @17 18 @19 VAR G1=11/8-3 10-5/12-3 16-5/17-3 19-5 NODE ATTRIBUTES: CONNECT IS M1 RC AT 20 CONNECT IS M1 RC AT 21 DEFAULT MLEVEL IS ATOM GGCAT IS PCY UNS AT DEFAULT ECLEVEL IS LIMITED ECOUNT IS M1 N AT 11

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED NUMBER OF NODES IS 21

STEREO ATTRIBUTES: NONE

PMS/CI polymers

Subset

403 shuctures 43 SEA FILE=REGISTRY ABB=ON L36 AND PMS/CI L44 L46 56 SEA FILE=REGISTRY SUB=L36 SSS FUL L42

L54 STR

> $Ak \sim Cb \sim N \sim Cb \sim Ak$ @12 13 14 15 @16

20 21 G2 G2

Cb~N~Cb $N \sim N =$ \equiv C- \sim G1- \sim C \Longrightarrow N- \sim N @8 9 @10 2

Hy @11

Ak~N~Cb @17 18 @19

VAR G1=11/8-3 10-5/12-3 16-5/17-3 19-5 VAR G2=H/AK/CY NODE ATTRIBUTES: DEFAULT MLEVEL IS ATOM GGCAT IS PCY UNS AT DEFAULT ECLEVEL IS LIMITED ECOUNT IS M1 N AT 11

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED NUMBER OF NODES IS 21

STEREO ATTRIBUTES: NONE

L58 403 SEA FILE=REGISTRY SUB=L36 SSS FUL L54 L59 48 SEA FILE=REGISTRY ABB=ON L58 AND (L46 OR L44) L60 157 SEA FILE=HCAPLUS ABB=ON L58 L61 94 SEA FILE=HCAPLUS ABB=ON L60(L)PREP/RL L62 29 SEA FILE=HCAPLUS ABB=ON L61 AND CHARG? L64 21 SEA FILE=HCAPLUS ABB=ON L59(L)PREP/RL L64 OR L62 L65 AND (1840-2003)/PRY, AY, PY limited to priority of 2003 or larlier L65 41 SEA FILE=HCAPLUS ABB=ON L66 25 SEA FILE=HCAPLUS ABB=ON

KATHLEEN FULLER EIC1700 REMSEN 4B28 571/272-2505

=> D L66 BIB ABS IND HITSTR 1-25

L66 ANSWER 1 OF 25 HCAPLUS COPYRIGHT 2007 ACS on STN

AN 2005:582538 HCAPLUS

DN 143:106305

TI Organophotoreceptor with **charge** transport material having a thiiranyl group

IN Tokarski, Zbigniew; Montrimas, Edmundas; Jubran, Nusrallah; Paliulis, Osvaldas; Gaidelis, Valentas; Getautis, Vytautas

PA Samsung Electronics Co., Ltd., S. Korea

SO Eur. Pat. Appl., 33 pp.

CODEN: EPXXDW

DT Patent

LA English

FAN.CNT 1

IMV.CNI I						
		PATENT NO.	KIN	D DATE	APPLICATION NO.	DATE
	ΡI	EP 1550913	A1	20050706	EP 2004-257403	20041130 <
		R: AT, BE,	CH, DE,	DK, ES, FR,	GB, GR, IT, LI, LU,	NL, SE, MC, PT,
		IE, SI,	LT, LV,	FI, RO, MK,	CY, AL, TR, BG, CZ,	EE, HU, PL, SK,
		HR, IS,	YU			
		US 2005147904	A1	20050707	US 2003-749178	20031230 <
		US 7014968	B2	20060321		
	:	CN 1637624	A	20050713	CN: 2004-10098240	20041130 <
		JP 2005196205	A	20050721	JP 2005-292	20050104 <
	PRAI	US 2003-749178	A	20031230	<	•
	os	MARPAT 143:10630)5			•
	GT					

$$T^2$$
 Y^2 Y^1 T^1 Y^2 Y^1 Y^1 Y^1

- The present invention provides organo photoreceptors comprising a photoconductive element comprising: (a) a charge transport material having the formula I (Y1 and Y2 = a bond, -CR1=N-NR2-, or -CR3=N-N=CR4-; R1-4 = H, alkyl group, alkenyl group, heterocyclic group, aromatic group; X1 and X2 = linking group; T1 and T2 = thiiranyl group, H, alkyl group, alkenyl group, aromatic group with the proviso that at least one of T1 and T2 is a thiiranyl group; and Ar comprises an aromatic group with the proviso that when both Y1 and Y2 are a bond and one of T1 and T2 is not a thiiranyl group, Ar comprises a bis[(N,N-disubstituted)amino]aromatic group or a bicarbazole group); and (b) a charge generating compound Corresponding electrophotog. apparatuses and imaging methods (processes) are described, as are corresponding charge transport materials.
- IC ICM G03G005-06

ICS C07D331-02; C07D409-12; C07D409-14; C07D417-12

- CC 74-3 (Radiation Chemistry, Photochemistry, and Photographic and Other Reprographic Processes)
- ST electrophotog organo photoreceptor **charge** transport material thiiranyl
- IT Electrophotographic photoconductors (photoreceptors)
 (organo photoreceptor with **charge** transport material having a thiiranyl group)

IT 857058-39-0P 857058-40-3P 857058-41-4P 857058-42-5P 857058-43-6P 857058-44-7P

RL: SPN (Synthetic preparation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)

(charge transport material having thiiranyl group for organo photoreceptor)

IT 14052-65-4P, 4,4'-Dihydrazinodiphenyl sulfone 188715-94-8P, 9-Ethyl-3-carbazolecarboxaldehyde N-2,3-epoxypropyl-N-phenylhydrazone 188715-96-0P, 4-(Diethylaminobenzaldehyde N-2,3-epoxypropyl-N-phenylhydrazone 634607-40-2P, 4-(Diphenylamino)benzaldehyde N-2,3-epoxypropyl-N-phenylhydrazone 851308-72-0P 857058-32-3P 857058-33-4P 857058-34-5P

RL: PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(préparation of **charge** transport material having thiiranyl group for organo photoreceptor)

IT 80-07-9, 4,4'-Dichlorodiphenyl sulfone 106-89-8, Epichlorohydrin, reactions 1762-95-4, Ammonium thiocyanate 3101-58-4 4181-05-9, 4-(Diphenylamino)benzaldehyde 7570-45-8 7803-57-8 52131-82-5, 9-(2,3-Epoxy-propylcarbazole 87755-85-9 117346-00-6 857058-31-2 RL: RCT (Reactant); RACT (Reactant or reagent)

(preparation of **charge** transport material having thiiranyl group for organo photoreceptor)


IT 857058-43-6P

RL: SPN (Synthetic preparation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)

(charge transport material having thiiranyl group for organo photoreceptor)

RN 857058-43-6 HCAPLUS

CN 9H-Carbazole-3,6-dicarboxaldehyde, 9-ethyl-, bis[phenyl(thiiranylmethyl)hy drazone] (9CI) (CA INDEX NAME)



RE.CNT 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

L66 ANSWER 2 OF 25 HCAPLUS COPYRIGHT 2007 ACS on STN

AN 2005:204070 HCAPLUS

DN 143:77952

TI Method for preparing multi-hydrazone-type charge transfer materials and applications thereof

IN Sun, Yali; Yang, Lianming; Jiang, Kejian; Wang, Yanqiao

PA Institute of Chemistry, Chinese Academy of Sciences, Peop. Rep. China

SO Faming Zhuanli Shenqing Gongkai Shuomingshu, 11 pp. CODEN: CNXXEV

DT Patent

LA Chinese

```
FAN.CNT 1
     PATENT NO.
                         KIND
                                DATE
                                            APPLICATION NO.
                                                                   DATE
     _____
                         ----
                                -----
                                            ------
                                                                   _____
     CN 1453266
PΙ
                                20031105
                          Α
                                            CN 2002-118454
                                                                   20020424 <--
PRAI CN 2002-118454
                                20020424 <--
os
     CASREACT 143:77952
     A method comprises nitrosifying organic amine with NaNO2/concentrated HCl in
AB
     ethanol at 0°-5° for 0.5-1.5 h to obtain organic nitroso
     compds., reducing with Zn powder/glacial acetic acid in ethanol at
     10°-40° to obtain hydrazine derivs., and condensing with
     aldehydes in ethanol at 10°-60° for 0.5-8 h. Thus,
     diphenylamine was subjected to nitrosation, reduced to a hydrazine, and
     condensed with triphenylaminedicarboxaldehyde to give a dihydrazone.
IC
     ICM C07C251-72
     ICS C07C249-16
     25-15 (Benzene, Its Derivatives, and Condensed Benzenoid Compounds)
CC
     Section cross-reference(s): 52, 76
ST
     multi hydrazone charge transfer material;
     phenylaminedicarboxaldehyde phenylamine hydrazone charge
     transfer material
ΙT
     Amines, reactions
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (aromatic; preparation and application of multi-hydrazone-type charge
        transfer materials)
IT
     Electron transfer
     Nitrosation
                                                                  ٠,
     Photoconductors
     Solar cells
        (preparation and application of multi-hydrazone-type charge
        transfer materials)
IT
     Hydrazones
     RL: IMF (Industrial manufacture); PRP (Properties); TEM (Technical or
     engineered material use); PREP (Preparation); USES (Uses)
        (preparation and application of multi-hydrazone-type charge
        transfer materials)
     Aldehydes, reactions
IT
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (preparation and application of multi-hydrazone-type charge
        transfer materials)
IT
     76344-23-5P 87755-91-7P 95640-40-7P
     122366-51-2P 122366-54-5P 122366-55-6P
     673456-21-8P 685129-61-7P 685129-63-9P
     RL: IMF (Industrial manufacture); PRP (Properties); TEM (Technical or
     engineered material use); PREP (Preparation); USES (Uses)
        (preparation and application of multi-hydrazone-type charge
        transfer materials)
IT
     90-30-2, N-Phenyl-1-naphthalenamine
                                           100-61-8, Methylaniline, reactions
     122-39-4, Diphenylamine, reactions
                                          135-88-6, N-Phenyl-2-naphthalenamine
     53566-95-3
                  70207-46-4
                               119001-43-3
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (preparation and application of multi-hydrazone-type charge
        transfer materials)
IT
     76344-23-5P 87755-91-7P 95640-40-7P
     122366-51-2P 122366-54-5P 122366-55-6P
     673456-21-8P 685129-61-7P 685129-63-9P
     RL: IMF (Industrial manufacture); PRP (Properties); TEM (Technical or
     engineered material use); PREP (Preparation); USES (Uses)
        (preparation and application of multi-hydrazone-type charge
        transfer materials)
     76344-23-5 HCAPLUS
RN
```

CN 9H-Carbazole-3,6-dicarboxaldehyde, 9-ethyl-, bis(diphenylhydrazone) (9CI) (CA INDEX NAME)

RN 87755-91-7 HCAPLUS

CN Benzaldehyde, 4,4'-(phenylimino)bis-, bis(diphenylhydrazone) (9CI) (CA INDEX NAME)

RN 95640-40-7 HCAPLUS

CN 9H-Carbazole-3,6-dicarboxaldehyde, 9-ethyl-, bis(methylphenylhydrazone) (9CI) (CA INDEX NAME)

$$\begin{array}{c|c} & \text{Et} \\ & \\ & \\ \text{Ne} & \text{N} \\ & \text{N} \\ & \text{CH} \\ & \text{N} \\ & \text{N$$

RN 122366-51-2 HCAPLUS

CN Benzaldehyde, 4,4',4''-nitrilotris-, tris(methylphenylhydrazone) (9CI) (CA INDEX NAME)

RN 122366-54-5 HCAPLUS

CN Benzaldehyde, 4,4',4''-nitrilotris-, tris(diphenylhydrazone) (9CI) (CA INDEX NAME)

RN 122366-55-6 HCAPLUS

CN Benzaldehyde, 4,4',4''-nitrilotris-, tris(1-naphthalenylphenylhydrazone)
(9CI) (CA INDEX NAME)

RN 673456-21-8 HCAPLUS

CN Benzaldehyde, 4,4',4''-nitrilotris-, tris(2-naphthalenylphenylhydrazone) (9CI) (CA INDEX NAME)

685129-61-7 HCAPLUS RN

9H-Carbazole-3,6-dicarboxaldehyde, 9-ethyl-, bis(1-CN naphthalenylphenylhydrazone) (9CI) (CA INDEX NAME)

RN685129-63-9 HCAPLUS

9H-Carbazole-3,6-dicarboxaldehyde, 9-ethyl-, bis(2-CNnaphthalenylphenylhydrazone) (9CI) (CA INDEX NAME)

ANSWER 3 OF 25 HCAPLUS COPYRIGHT 2007 ACS on STN L66

2004:802400 HCAPLUS AN

DN 141:322520

Polymeric charge transport compositions for electrophotographic TI photoreceptor

Getautis, Vytautas; Malinauskas, Tadas; Grazulevicius, Jouzas V.; IN Gaidelis, Valentas; Jankauskas, Vygintas; Tokarski, Zbignie W.; Jubran, application Nusrallah; Law, Kam W.

PA Lithuania

U.S. Pat. Appl. Publ., 20 pp. SO CODEN: USXXCO

DT Patent

LΑ English

FAN.CNT 1

```
DATE
     PATENT NO.
                           KIND
                                                APPLICATION NO.
                                                                          DATE
     _____
                                                -----
                           _ _ _ _
                                                                          -----
PΙ
     US 2004191655
                                                <u>US 2004-772069</u>
                            A1
                                   20040930
                                                                          20040204 <--
     KR 2004086186
                            Α
                                   20041008
                                                KR 2004-19339
                                                                          20040322 <--
     EP 1471391
                                                EP 2004-251887
                            A1
                                   20041027
                                                                          20040330 <--
     EP 1471391
                            B1
                                   20060125
             AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK
                                                CN 2004-10045166
                                                                          20040331 <--
     CN 1540448
                            Α
                                   20041027
     JP 2004302472
                            Α
                                   20041028
                                                JP 2004-104546
                                                                          20040331 <--
PRAI US 2003-458932P
                            Р
                                   20030331
     US 2004-772069
                            Α
                                   20040204
     MARPAT 141:322520
os
GI
```

$$\begin{bmatrix}
R^1 & R^2 & R^3 & R^4 \\
 & & & & \\
N & & & \\
N & & & & \\
N & & & & \\
N & & & \\
N$$

This invention relates to a novel electrophotog. organophotoreceptor that includes: (a) a charge transport composition comprising mols. having the formula I (n = 2-50,000; R1, R2, R3, R4 = H, alkyl alkenyl, heterocyclic, aromatic; X comprises (N,N-disubstituted)arylamine group; Y = bridging group); (b) a charge generating compound; and (c) an elec. conductive substrate over which the charge transport composition and the charge generating compound are located. This invention provides organophotoreceptors having good electrostatic properties such as high Vacc and low Vdis. This invention also provides polymeric charge transport compns. having reduced phase separation from polymeric binders and reduced extraction by liquid carriers.

IC ICM G03G005-06

INCL 430079000; 430073000; 430074000

CC 74-3 (Radiation Chemistry, Photochemistry, and Photographic and Other Reprographic Processes) Section cross-reference(s): 38

ST polymeric charge transport compn electrophotog photoreceptor

IT 767353-96-8P 767353-97-9P 767353-98-0P 767353-99-1P

RL: PRP (Properties); SPN (Synthetic preparation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses) (polymeric charge transport compns. for electrophotog.

photoreceptor)

TT 53566-95-3P 70207-46-4P 95640-42-9P 122112-54-3P 683273-05-4P 741694-52-0P 741694-53-1P

741694-54-2P 741694-55-3P

RL: PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(synthesis of polymeric charge transport compns. for electrophotog. photoreceptor)

IT 86-28-2, 9-Ethylcarbazole 100-63-0, Phenylhydrazine 106-89-8, Epichlorohydrin, reactions 274-30-6, 1,3-Benzodithiole 603-34-9, Triphenylamine 4316-53-4, 4-Methyltriphenylamine 19362-77-7, 4,4'-Thiobisbenzenethiol

RL: RCT (Reactant); RACT (Reactant or reagent)

(synthesis of polymeric **charge** transport compns. for electrophotog. photoreceptor)

IT 767353-96-8P 767353-97-9P 767353-98-0P

767353-99-1P

RL: PRP (Properties); SPN (Synthetic preparation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)

(polymeric charge transport compns. for electrophotog.

photoreceptor)

RN 767353-96-8 HCAPLUS

9H-Carbazole-3,6-dicarboxaldehyde, 9-ethyl-, bis[(oxiranylmethyl)phenylhyd razone], polymer with 4,4'-thiobis[benzenethiol] (9CI) (CA INDEX NAME)

CM 1

CN

CRN 683273-05-4 CMF C34 H33 N5 O2

CM 2

CRN 19362-77-7 CMF C12 H10 S3

RN 767353-97-9 HCAPLUS

CN Benzaldehyde, 4,4'-(phenylimino)bis-, bis[(oxiranylmethyl)phenylhydrazone], polymer with 4,4'-thiobis[benzenethiol] (9CI) (CA INDEX NAME)

CM 1

CRN 741694-52-0 CMF C38 H35 N5 O2

$$\overset{\text{O}}{\overset{\text{Ph}}}{\overset{\text{Ph}}{\overset{\text{Ph}}{\overset{\text{Ph}}{\overset{\text{Ph}}{\overset{\text{Ph}}}{\overset{\text{Ph}}{\overset{\text{Ph}}}{\overset{\text{Ph}}{\overset{\text{Ph}}}{\overset{\text{Ph}}}{\overset{\text{Ph}}}{\overset{\text{Ph}}{\overset{\text{Ph}}}{\overset{\text{Ph}}}{\overset{\text{Ph}}}{\overset{\text{Ph}}}{\overset{\text{Ph}}{\overset{\text{Ph}}}{\overset{\text{Ph}}}{\overset{\text{Ph}}}{\overset{\text{Ph}}}{\overset{\text{Ph}}}{\overset{\text{Ph}}}{\overset{\text{Ph}}}}{\overset{\text{Ph}}}{\overset{\text{Ph}}}}{\overset{\text{Ph}}}{\overset{\text{Ph}}}}{\overset{\text{Ph}}}{\overset{\text{Ph}}}{\overset{\text{Ph}}}}{\overset{\text{Ph}}}}{\overset{\text{Ph}}}{\overset{\text{Ph}}}}{\overset{\text{Ph}}}{\overset{\text{Ph}}}}{\overset{\text{Ph}}}}{\overset{\text{Ph}}}{\overset{\text{Ph}}}}{\overset{\text{Ph}}}{\overset{\text{Ph}}}}{\overset{\text{Ph}}}}{\overset{\text{Ph}}}}{\overset{\text{Ph}}}}{\overset{\text{Ph}}}}{\overset{\text{Ph}}}}{\overset{\text{Ph}}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}{\overset{Ph}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{Ph}}}{\overset{P$$

CM 2

CRN 19362-77-7 CMF C12 H10 S3

RN 767353-98-0 HCAPLUS

CN Benzaldehyde, 4,4'-(phenylimino)bis-, bis[(oxiranylmethyl)phenylhydrazone], polymer with 1,3-benzenedithiol (9CI) (CA INDEX NAME)

CM 1

CRN 741694-52-0 CMF C38 H35 N5 O2

$$\begin{array}{c|c}
 & \text{Ph} & \text{Ph} \\
 & \text{CH}_2 - \text{N} - \text{N} - \text{CH}_2
\end{array}$$

CM . 2

CRN 626-04-0 CMF C6 H6 S2

RN 767353-99-1 HCAPLUS

CN Benzaldehyde, 4,4'-[(4-methylphenyl)imino]bis-, bis[(oxiranylmethyl)phenylhydrazone], polymer with 4,4'-thiobis[benzenethiol] (9CI) (CA INDEX NAME)

CM 1

CRN 741694-53-1 CMF C39 H37 N5 O2

$$\begin{array}{c|c} & \text{Me} \\ & \\ \hline \\ \text{CH}_2 - \text{N} - \text{N} = \text{CH} \\ & \\ \hline \end{array}$$

CM 2

CRN 19362-77-7 CMF C12 H10 S3

IT 95640-42-9P 683273-05-4P 741694-52-0P

741694-53-1P 741694-54-2P 741694-55-3P

RL: PRP (Properties); RCT (Reactant); SPN (Synthetic preparation);

PREP (Preparation); RACT (Reactant or reagent)

(synthesis of polymeric charge transport compns. for

electrophotog. photoreceptor)

RN 95640-42-9 HCAPLUS

CN 9H-Carbazole-3,6-dicarboxaldehyde, 9-ethyl-, bis(phenylhydrazone) (9CI) (CA INDEX NAME)

RN 683273-05-4 HCAPLUS

CN 9H-Carbazole-3,6-dicarboxaldehyde, 9-ethyl-, bis[(oxiranylmethyl)phenylhyd
razone] (9CI) (CA INDEX NAME)

RN 741694-52-0 HCAPLUS

RN 741694-53-1 HCAPLUS

Page 14

$$\stackrel{\text{Ph}}{\sim} \text{CH}_2 - \text{N} - \text{N} = \text{CH}$$

$$\stackrel{\text{Ph}}{\sim} \text{CH}_2 - \text{N} - \text{N} - \text{CH}_2$$

$$30 \left[\frac{399}{190} \right] \text{S9}$$

RN 741694-54-2 HCAPLUS

CN Benzaldehyde, 4,4'-(phenylimino)bis-, bis(phenylhydrazone) (9CI) (CA INDEX NAME)

RN : 741694-55-3 HCAPLUS

CN Benzaldehyde, 4,4'-[(4-methylphenyl)imino]bis-, bis(phenylhydrazone) (9CI) (CA INDEX NAME)

L66 ANSWER 4 OF 25 HCAPLUS COPYRIGHT 2007 ACS on STN

AN 2004:681284 HCAPLUS

DN 141:215564

TI Organophotoreceptor with a charge transport compound having an epoxy group

IN Getautis, Vytautas; Daskeviciene, Maryte; Malinauskas, Tadas; Montrimas, Edmundas; Sidaravicius Jonas; Tokarski, Zbigniew; Jubran, Nusrallah; Law, Kam W.

PA Samsung Electronics Co., Ltd., S. Korea

SO U.S. Pat. Appl. Publ., 30 pp., Cont.-in-part of U.S. Pat. Appl. 2004 81,903. CODEN: USXXCO

DT Patent

LA English

FAN.CNT 2

TAN CIVI 2						
	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE	
PI	US 2004161685	A1	20040819	US 2 <u>004-77206</u> 8	20040204 <	
	US 7090953	B2	20060815			

```
MCCLENDON 10/772069
                         03/13/2007
                                         Page 15
     US 2004081903
                          A1
                                20040429
                                            US 2003-634164
                                                                   20030805 <--
     US 7029812
                          B2
                                20060418
     KR 2004086176
                          Α
                                20041008
                                            KR 2004-16416
                                                                   20040311 <--
     EP 1465020
                          A2
                                20041006
                                            EP 2004-251886
                                                                   20040330 <--
     EP 1465020
                          A3
                                20050921
     EP 1465020
                          B1
                                20061018
             AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
             IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, HR
     JP 2004302471
                                            JP 2004-103640
                          Α
                                20041028
                                                                   20040331 <--
     CN 1570774
                          Α
                                20050126
                                            CN 2004-10064024
                                                                   20040331 <--
PRAI US 2002-421174P
                          Р
                                20021025 <--
     US 2002-421179P
                          Р
                                20021025 <--
     US 2002-421228P
                          Ρ
                                20021025 <--
     US 2003-459150P
                          Ρ
                                20030331 <--
     US 2003-634164
                          A2
                                20030805 <--
     US 2004-772068
                                20040204
                          Α
     MARPAT 141:215564
os
AΒ
     This invention relates to a novel organo photoreceptor that comprises an
     elec. conductive substrate and photoconductive element on the elec.
     conductive substrate, the photoconductive element having (a) a
     charge transport compound R4R2C=N-NR1-X-R3 (R1 = aromatic group, alkyl
     group, alkenyl group, heterocyclic group; R2 comprises an
     (N,N-disubstituted)arylamine group; R3 = epoxy group; R4 = H, aromatic group,
     alkyl group, alkenyl group, heterocyclic group; and X = first linking
     group); and (b) a charge generating compound The epoxy group can
     be reacted with a functional group within the polymer to form a polymeric
     charge transport compound either directly or through a crosslinking
     agent. Corresponding electrophotog. apparatuses and imaging methods are
     also described.
     ICM G03G005-06
INCL 430079000; X43-0 7.5; X43-012.6; X54-844.0; X54-951.2
     74-3 (Radiation Chemistry, Photochemistry, and Photographic and Other
     Reprographic Processes)
ST
     electrophotog organo photoreceptor charge transport compd epoxy
IT
     Electrophotographic photoconductors (photoreceptors)
        (organo photoreceptor with charge transport compound having
        epoxy group)
IT
     93376-18-2P
     RL: PRP (Properties); SPN (Synthetic preparation); TEM (Technical or
     engineered material use); PREP (Preparation); USES (Uses)
        (electron transport compound; organo photoreceptor with charge
        transport compound having epoxy group and)
     188715-94-8P
                    634607-40-2P
                                   683273-04-3P 683273-05-4P
     741694-52-0P 741694-53-1P
     RL: PRP (Properties); SPN (Synthetic preparation); TEM (Technical or
     engineered material use); PREP (Preparation); USES (Uses)
        (organo photoreceptor with charge transport compound having
        epoxy group)
     70207-46-4P, N-Ethyl-3,6-diformylcarbazole
                                                  122112-54-3P,
     4,4'-Diformyl-4''-MethylTriphenylamine
     RL: PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP
     (Preparation); RACT (Reactant or reagent)
        (preparation of charge transport compound having epoxy group for
       organo photoreceptor)
IT
     68-12-2, Dimethylformamide, reactions
                                             86-28-2, N-Ethylcarbazole
     100-63-0, Phenylhydrazine 603-34-9, Triphenylamine
                                                            4181-05-9,
     4-(Diphenylamino)benzaldehyde
                                     4316-53-4, 4-MethylTriphenylamine
     7570-45-8, 9-Ethyl-3-carbazolecarboxaldehyde
                                                    42906-19-4
    RL: RCT (Reactant); RACT (Reactant or reagent)
        (preparation of charge transport compound having epoxy group for
```

organo photoreceptor)

IT 53566-95-3P 87755-85-9P 95640-42-9P 117346-00-6P

627862-62-8P 741694-54-2P 741694-55-3P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP

(Preparation); RACT (Reactant or reagent)

(preparation of **charge** transport compound having epoxy group for organo photoreceptor)

IT 6223-83-2P 93519-65-4P

RL: PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of electron transport compound having epoxy group for organo photoreceptor)

IT 71-36-3, n-Butanol, reactions 482-05-3, Diphenic acid

RL: RCT (Reactant); RACT (Reactant or reagent)

(preparation of electron transport compound having epoxy group for organo photoreceptor)

IT 683273-05-4P 741694-52-0P 741694-53-1P

RL: PRP (Properties); SPN (Synthetic preparation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)

(organo photoreceptor with **charge** transport compound having epoxy group)

RN 683273-05-4 HCAPLUS

CN 9H-Carbazole-3,6-dicarboxaldehyde, 9-ethyl-, bis[(oxiranylmethyl)phenylhyd razone] (9CI) (CA INDEX NAME)

RN 741694-52-0 HCAPLUS

CN Benzaldehyde, 4,4'-(phenylimino)bis-, bis[(oxiranylmethyl)phenylhydrazone] (9CI) (CA INDEX NAME)

$$\begin{array}{c|c} O & Ph \\ \hline \\ CH_2 - N - N = CH \\ \hline \\ N \end{array}$$

RN 741694-53-1 HCAPLUS

CN Benzaldehyde, 4,4'-[(4-methylphenyl)imino]bis-, bis[(oxiranylmethyl)phenylhydrazone] (9CI) (CA INDEX NAME)

IT 95640-42-9P 741694-54-2P 741694-55-3P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP

(Preparation); RACT (Reactant or reagent)

(preparation of **charge** transport compound having epoxy group for organo photoreceptor)

RN 95640-42-9 HCAPLUS

CN 9H-Carbazole-3,6-dicarboxaldehyde, 9-ethyl-, bis(phenylhydrazone) (9CI) (CA INDEX NAME)

RN 741694-54-2 HCAPLUS

CN Benzaldehyde, 4,4'-(phenylimino)bis-, bis(phenylhydrazone) (9CI) (CA INDEX NAME)

RN 741694-55-3 HCAPLUS

CN Benzaldehyde, 4,4'-[(4-methylphenyl)imino]bis-, bis(phenylhydrazone) (9CI) (CA INDEX NAME)

RE.CNT 36 THERE ARE 36 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

L66 ANSWER 5 OF 25 HCAPLUS COPYRIGHT 2007 ACS on STN

AN 2004:354667 HCAPLUS

DN 140:383064

TI Organophotoreceptor with **charge** transport compound having epoxy group

IN Tokarski, Zbigniew; Jubran, Nusrallah; Law, Kam W.; Getautis, Vytautas; Sidaravicius, Jonas V.; Daskeviciene, Maryte; Jankauskas, Vygintas; Montrimas, Edmundas; Gaidelis, Valentas; Stanisauskaite, Albina

PA Samsung Electronics Co., Ltd., S. Korea

SO U.S. Pat. Appl. Publ., 23 pp.

CODEN: USXXCO

DT	Patent				
LA	English				
FAN.	CNT 2				
	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	,				
ΡI		A1	20040429	US 2003-634164	20030805 <
			20060418		
	KR 2004036559				20031016 <
	EP 1420303	A2	20040519	EP 2003-256682	20031023 <
			20050608		
				B, GR, IT, LI, LU, NL,	
:				(, AL, TR, BG, CZ, EE,	
	CN 1532635				
	JP 2004143180	Α		JP 2003-366545	
	US 2004161685	A1	20040819	US 2004-772068	20040204 <
	US 7090953		20060815		
	US 2006147827	A1		US 2006-366062	20060302 <
PRAI	US 2002-421174P	P		<	
	US 2002-421179P			<	
•	US 2002-421228P	_		< - ≟	
	US 2003-459150P		20030331 <	<	
	US 2003-634164	A2	20030805 <	<	
os	MARPAT 140:383064			•	
GI					

Ι

This invention relates to a novel organophotoreceptor that comprises an AB elec. conductive substrate and photoconductive element on the elec. conductive substrate, the photoconductive element having (a) a novel charge transport compound having the formula I (X = C1-30-divalent hydrocarbon, or C1-30-divalent hydrocarbon where there is at least one substitution of a carbon atom by a heteroatom provided that no two heteroatoms may be adjacent within the backbone of an aliphatic divalent hydrocarbon radical; R1 = aryl, heterocyclic; R2 = (N,Ndisubstituted) arylamine; R3 = epoxy); and (b) a charge generating compound The epoxy group can be reacted with a functional group within the polymer to form a polymeric charge transport compound either directly or through a crosslinking agent. This invention provides organophotoreceptors having good electrostatic properties such as high charge acceptance and low discharge voltage.

ICM G03G005-04 IC

ICS C07D303-36

INCL 430075000; X43-0 7.9; X43-0 9.6; X43-012.4; X43-013.3; X54-955.1

74-3 (Radiation Chemistry, Photochemistry, and Photographic and Other CC Reprographic Processes)

electrophotog photoreceptor photoconductor charge transport ST compd epoxy group

Electrophotographic photoconductors (photoreceptors) IT

(organophotoreceptor with charge transport compound having

epoxy group)

IT 93376-18-2P 188715-94-8P 634607-40-2P 683273-04-3P 683273-05-4P

RL: PRP (Properties); SPN (Synthetic preparation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses) (organophotoreceptor with charge transport compound having

(organophotoreceptor with **charge** transport compound havi epoxy group)

IT 85-44-9, Phthalic anhydride 108-31-6, Maleic anhydride, uses RL: TEM (Technical or engineered material use); USES (Uses) (organophotoreceptor with charge transport compound having epoxy group)

TT 70207-46-4P, N-Ethyl-3,6-diformylcarbazole
 RL: PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP
 (Preparation); RACT (Reactant or reagent)

(preparation of charge transport compound having epoxy group)

IT 86-28-2, N-Ethylcarbazole 100-63-0, Phenylhydrazine 4181-05-9,
4-(Diphenylamino) benzaldehyde 7570-45-8, 9-Ethyl-3carbazolecarboxaldehyde 42906-19-4

RL: RCT (Reactant); RACT (Reactant or reagent)

(preparation of charge transport compound having epoxy group)

IT 87755-85-9P 95640-42-9P 117346-00-6P 627862-62-8P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP
(Preparation); RACT (Reactant or reagent)

(preparation of charge transport compound having epoxy group)

(preparation of electron transport compound)
71-36-3, n-Butanol, reactions 109-77-3, Malononitrile 482-


IT 71-36-3, n-Butanol, reactions 109-77-3, Malononitrile 482-05-3,
Diphenic acid
RL: RCT (Reactant); RACT (Reactant or reagent)

(preparation of electron transport compound)
IT 683273-05-4P

RL: PRP (Properties); SPN (Synthetic preparation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses) (organophotoreceptor with charge transport compound having epoxy group)

RN 683273-05-4 HCAPLUS

CN 9H-Carbazole-3,6-dicarboxaldehyde, 9-ethyl-, bis[(oxiranylmethyl)phenylhyd razone] (9CI) (CA INDEX NAME)



IT 95640-42-9P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of charge transport compound having epoxy group)

RN 95640-42-9 HCAPLUS

CN 9H-Carbazole-3,6-dicarboxaldehyde, 9-ethyl-, bis(phenylhydrazone) (9CI) (CA INDEX NAME)

RE.CNT 35 THERE ARE 35 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

ANSWER 6 OF 25 HCAPLUS COPYRIGHT 2007 ACS on STN L66

2003:874854 HCAPLUS AN

DN 139:371843

TI Carbazole based charge transport compounds

Jubran, Nusrallah; Tokarski, Zbigniew; Law, Kam W. Samsung Electronic Co., Ltd., USA IN

PA

U.S. Pat. Appl. Publ., 19 pp. SO

CODEN: USXXCO

DT Patent

LA English

FAN.CNT 1

ran.	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
ΡI	US 2003207188	A1	20031106	US 2003-382392	20030306 <
	US 6835513	B2	20041228		
	KR 2003078788	A	20031008	KR 2003-19674	20030328 <
PRAI	US 2002-368253P	P	20020328	<	
os	MARPAT 139:371843				
GT				,	•

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

- The present invention relates to electrophotog. organo-photoreceptors AB have: (a) a charge transport compound having the formula I (R1 = H, alkyl group, hydrocarbon group, ether group, aryl group; R2,3 = ArNR4; Ar is selected form II, III, IV, V, VI, VII, VIII, IX; R4 = H, aromatic group); (b) a charge generating compound; and (c) an elec. conductive substrate.
- IC ICM G03G005-047

ICS C07D043-02; C07D257-10

- INCL 430058150; 430079000; 430058600; 399159000; 430117000; 430124000; 548254000; 548257000; 548364700; 548444000
- CC 74-3 (Radiation Chemistry, Photochemistry, and Photographic and Other Reprographic Processes)
- ST electrophotog organo photoreceptor carbazole charge transport
- IT Electrophotographic photoconductors (photoreceptors) (electrophotog. organo-photoreceptors carbazole based charge transport compds.)
- 622837-06-3P 622837-07-4P

RL: PRP (Properties); SPN (Synthetic preparation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)

(carbazole based charge transport compds. for electrophotog. organo-photoreceptors)

electrophotog. organo-photoreceptors)

IT 86-74-8, Carbazole 110-53-2, 1-Bromopentane 112-29-8, 1-Bromodecane 112-71-0, 1-Bromotetradecane 143-15-7, 1-Bromododecane 629-04-9, 1-Bromoheptane 637-59-2, 1-Bromo-3-phenylpropane 765-09-3, 1-Bromotridecane 18908-66-2, 2-Ethylhexylbromide RL: RCT (Reactant); RACT (Reactant or reagent) (preparation of carbazole based charge transport compds. for

IT 1484-07-7P, N-Pentylcarbazole 7435-54-3P 20863-23-4P, N-Dodecyl
 carbazole 20863-25-6P, N-Tetradecylcarbazole 110045-73-3P
 169051-20-1P, N-2-Ethylhexyl-3,6-Diformylcarbazole 173483-07-3P
 183275-89-0P, N-Tetradecyl-3,6-Diformylcarbazole 187148-77-2P,
 N-2-Ethylhexylcarbazole 360789-03-3P 360789-04-4P 360789-05-5P
 360789-06-6P 622837-04-1P 622837-05-2P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT

(Reactant or reagent)
 (preparation of carbazole based charge transport compds. for
 electrophotog. organo-photoreceptors)

IT 622837-06-3P 622837-07-4P

RL: PRP (Properties); SPN (Synthetic preparation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses) (carbazole based charge transport compds. for electrophotog.

organo-photoreceptors)

RN 622837-06-3 HCAPLUS

CN 9H-Carbazole-3,6-dicarboxaldehyde, 9-ethyl-, bis[phenyl(tetrahydro-1,1-dioxido-3-thienyl)hydrazone] (9CI) (CA INDEX NAME)

RN 622837-07-4 HCAPLUS

CN 9H-Carbazole-3,6-dicarboxaldehyde, 9-ethyl-, bis[[4-(methylsulfonyl)phenyl]hydrazone] (9CI) (CA INDEX NAME)

PAGE 1-B

— Ме

RE.CNT 30 THERE ARE 30 CITED REFERENCES AVAILABLE FOR THIS RECORD

ALL CITATIONS AVAILABLE IN THE RE FORMAT

ANSWER 7 OF 25 HCAPLUS COPYRIGHT 2007 ACS on STN L66 AN 2003:855503 HCAPLUS DN 139:356035 ΤI Sulfonyldiphenylene-based charge transport compositions IN Law, Kam W.; Jubran, Nusrallah; Tokarski, Zbigniew PA Samsung Electronics Co., Ltd., USA SO U.S. Pat. Appl. Publ., 21 pp. CODEN: USXXCO DT Patent English LΑ FAN.CNT 1 PATENT NO. KIND DATE APPLICATION NO. DATE ---------PΙ US 2003203296 À1 US 2003-385148 20031030 20030310 <--US 6864025 B2 20050308 KR 2003078789 Α 20031008 KR 2003-19675 20030328 <--PRAI US 2002-368256P P 20020328 <--US 2002-368297P P 20020328 : <--

$$\begin{bmatrix}
R^4 & R^3 & R^2 & R^1 \\
 & & & & & \\
N & & & & \\
N & & & & \\
N & & & & & \\
N & & & & & \\
N &$$

GI

Ι

- This invention relates to a novel electrophotog. organo photoreceptor that includes: (a) a charge transport composition comprising mols. having the formula I (n = 1-1000; R1-4 = H, C1-30 alkyl group, unsatd. hydrocarbon group, ether group, cycloalkyl group (e.g. a cyclohexyl group), aryl group (e.g., a Ph or naphthyl group); X = divalent carbazole group, divalent biscarbazole alkane group; Y = divalent sulfonyldiphenylene group; Z = C(R4)-X-C(R3)=O double-bonded to the adjacent N or two hydrogens where each hydrogen is independently single-bonded to the adjacent N; Q = O, N-N(R1)-Y-N(R2)-NH2); (b) a charge generating compound; and (c) an elec. conductive substrate over which the charge transport composition and the charge generating compound are located.
- IC ICM G03G005-047
- INCL 430058600; 430079000; 430126000; 430117000; 548440000; 548441000; 548444000
- CC 74-3 (Radiation Chemistry, Photochemistry, and Photographic and Other Reprographic Processes)
- ST electrophotog organo photoreceptor sulfonyldiphenylene **charge** transport compn
- IT Electrophotographic photoconductors (photoreceptors)
 (electrophotog organo photoreceptor containing sulfonyldiphenylene-based charge transport compns.)
- IT Polysulfones, preparation
 - RL: SPN (Synthetic preparation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)

(polyazomethine-; sulfonyldiphenylene-based charge transport compns. for electrophotog. organo photoreceptor)

```
Polyazomethines
IT
     RL: SPN (Synthetic preparation); TEM (Technical or engineered material
     use); PREP (Preparation); USES (Uses)
        (polysulfone-; sulfonyldiphenylene-based charge transport
        compns. for electrophotog. organo photoreceptor)
IT
     618388-30-0P 618388-34-4P
     RL: PRP (Properties); SPN (Synthetic preparation); TEM (Technical or
     engineered material use); PREP (Preparation); USES (Uses)
        (oligomeric; sulfonyldiphenylene-based charge transport
        compns. for electrophotog. organo photoreceptor)
ΙT
     618388-32-2P
                    618388-36-6P
     RL: SPN (Synthetic preparation); TEM (Technical or engineered material
     use); PREP (Preparation); USES (Uses)
        (oligomeric; sulfonyldiphenylene-based charge transport
        compns. for electrophotog. organo photoreceptor)
IT
     169834-39-3P
     RL: PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP
     (Preparation); RACT (Reactant or reagent)
        (preparation of sulfonyldiphenylene-based charge transport compns.
        for electrophotog. organo photoreceptor)
IT
                         112-71-0, 1-Bromotetradecane
     86-74-8, Carbazole
                                                         143-15-7,
     1-Bromododecane
                     629-04-9, 1-Bromoheptane 637-59-2,
     1-Bromo-3-phenylpropane 765-09-3, 1-Bromotridecane
     18908-66-2, 2-Ethylhexylbromide 36182-49-7, Dibromodecane
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (preparation of sulfonyldiphenylene-based charge transport compns.
        for electrophotog. organo photoreceptor)
     4041-20-7P, N-Heptyl carbazole
                                    20863-23-4P, N-Dodecyl carbazole
TΤ
     20863-25-6P, N-Tetradecylcarbazole
                                        60834-42-6P 70207-46-4P,
     9-Ethyl-3,6-diformylcarbazole 110045-73-3P 169051-20-1P,
     N-2-Ethylhexyl-3,6-Diformylcarbazole
                                            169834-33-7P, 1,10-Bis(3-formyl-9-
                                       183275-89-0P, N-Tetradecyl-3,6-
     carbazolyl)decane
                        173483-07-3P
                         187148-77-2P, N-2-Ethylhexylcarbazole
     Diformylcarbazole
                                                                 360789-03-3P,
     N-Dodecyl-3,6-Diformylcarbazole 360789-04-4P, N-Tridecylcarbazole
     360789-05-5P, N-Tridecyl-3,6-Diformylcarbazole
                                                     360789-06-6P
     RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
     (Reactant or reagent)
        (preparation of sulfonyldiphenylene-based charge transport compns.
        for electrophotog. organo photoreceptor)
IT
     618388-34-4P
     RL: PRP (Properties); SPN (Synthetic preparation); TEM (Technical or
     engineered material use); PREP (Preparation); USES (Uses)
        (oligomeric; sulfonyldiphenylene-based charge transport
        compns. for electrophotog. organo photoreceptor)
RN
     618388-34-4 HCAPLUS
CN
     Poly[(9-ethyl-9H-carbazole-3,6-diyl)methylidyne-2-hydrazinyl-1-ylidene-1,4-
     phenylenesulfonyl-1,4-phenylene-1-hydrazinyl-2-ylidenemethylidyne] (9CI)
     (CA INDEX NAME)
```

PAGE 1-A

PAGE 1-B

RE.CNT 25 THERE ARE 25 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

L66 ANSWER 8 OF 25 HCAPLUS COPYRIGHT 2007 ACS on STN

AN 2003:686666 HCAPLUS

DN 140:209349

TI Novel polymeric metal complexes based on bis-(8-hydroxyquinoline)

ΑU Xie, Juntao; Fan, Liqiang; Su, Jianhua; Tian, He

Institute of Fine Chemicals, East China University of Science & CS Technology, Shanghai, 200237, Peop. Rep. China

so Dyes and Pigments (2003), 59(2), 153-162 CODEN: DYPIDX; ISSN: 0143-7208

PΒ Elsevier Science Ltd.

Journal DT

LA English

os CASREACT 140:209349

AΒ 8-Hydroxyquinoline derivs. were prepd . from which novel polymeric Al and In metal complexes were synthesized by a concise route. Substitution effects on their fluorescence spectra in the solution and in the solid state were tested and discussed preliminarily.

CC 78-7 (Inorganic Chemicals and Reactions)

Section cross-reference(s): 27, 73

ST hydroxyquinoline deriv prepn complexation aluminum zinc; aluminum hydroxyquinoline complex prepn fluorescence; zinc hydroxyquinoline complex prepn fluorescence

Fluorescence IT

(of aluminum and zinc hydroxyquinoline complexes)

IT Substituent effects

(on fluorescence of aluminum and zinc hydroxyquinoline complexes)

IT 10522-70-0

RL: RCT (Reactant); RACT (Reactant or reagent)

(complexation with aluminum and zinc)

IT 2536-71-2

RL: RCT (Reactant); RACT (Reactant or reagent)

(complexation with aluminum and zinc and reactant for preparation of hydroxyquinoline derivs.) ΙT 10522-71-1P 22505-80-2P 25350-73-6P 100769-46-8P 661454-32-6P 661454-34-8P 661454-35-9P RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent) (preparation and complexation with aluminum and zinc) IT 47725-76-8P 100774-97-8P 106482-27-3P 661454-17-7P 661454-18-8P 661454-20-2P 661454-22-4P 661454-24-6P 661454-27-9P 661454-28-0P 661454-29-1P 661454-30-4P RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation) (preparation and fluorescence of polymeric) IT 342897-72-7P 661454-19-9P 661454-21-3P 661454-23-5P 661454-25-7P 661454-26-8P RL: SPN (Synthetic preparation); PREP (Preparation) (preparation of polymeric) IT 13963-57-0, Tris(acetylacetonato)aluminum RL: RCT (Reactant); RACT (Reactant or reagent) (reactant for preparation of aluminum hydroxyquinoline derivs.) 106-50-3, 1,4-Benzenediamine, reactions 107-15-3, Ethylenediamine, IT reactions 110-85-0, Piperazine, reactions 110-89-4, Piperidine, reactions 110-91-8, Morpholine, reactions 111-92-2, Dibutylamine 124-09-4, 1,6-Hexanediamine, reactions 148-24-3, 8-Hydroxyquinoline, reactions 302-01-2, Hydrazine, reactions 2598-30-3, 8-Hydroxy-5-quinolinecarboxaldehyde RL: RCT (Reactant); RACT (Reactant or reagent) (reactant for preparation of hydroxyquinoline derivs.) IT 14024-63-6, Bis(acetylacetonato)zinc RL: RCT (Reactant); RACT (Reactant or reagent) (reactant for preparation of zinc hydroxyquinoline derivs.) IT 661454-25-7P RL: SPN (Synthetic preparation); PREP (Preparation) (preparation of polymeric) RN 661454-25-7 HCAPLUS

Aluminum, $[\mu-[[5,5]-(azinodimethylidyne)]$ bis [8-quinolinolato- $\kappa N1, \kappa O8]](2-)]]bis[5-[[[(8-hydroxy-5$ quinolinyl) methylene] hydrazono] methyl] -8-quinolinolato(2-) κN1,κO8]di- (9CI) (CA INDEX NAME)

PAGE 1-A

PAGE 2-A

PAGE 3-A

PAGE 4-A

RE.CNT 24 THERE ARE 24 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

L66 ANSWER 9 OF 25 HCAPLUS COPYRIGHT 2007 ACS on STN

AN 2002:954170 HCAPLUS

DN 138:228809

TI Diffraction behavior of photorefractive molecular materials containing phenothiazine derivatives

AU Choi, Dong Hoon; Oh, Kwang Yong; Jun, Woong Gi; Kim, Jae Hong; Choi, Suk-Ho

CS Institute of Natural Sciences, College of Environment and Applied Chemistry, Kyung Hee University, Suwon, 449-701, S. Korea

SO Applied Physics Letters (2002), 81(25), 4727-4729 CODEN: APPLAB; ISSN: 0003-6951

PB American Institute of Physics

DT Journal

LA English

AB The diffraction behavior is reported of the photorefractive (PR) mol. materials that contain the phenothiazine derivs. Diphenylhydrazine and

Page 28

malononitrile were reacted with N-alkyl substituted phenothiazinyl aldehyde to provide charge transporting and nonlinear optical mols., resp. In the mol. materials prepared with phenothiazine derivs., unusual complementary gratings formed by the space charge fields of 2 types of photocarriers were observed, which can be explained based on a bipolar 2-trap PR model. Adding the specific mols. to the host PR materials increased the trapped hole d. during grating formation and erasing processes.

CC 73-10 (Optical, Electron, and Mass Spectroscopy and Other Related Properties)

Section cross-reference(s): 22, 28

ST diffraction photorefractive mol material phenothiazine deriv

IT Optical diffraction

(behavior of photorefractive materials containing phenothiazine derivs.)

IT Photorefractive materials

(diffraction behavior of phenothiazine derivative-containing)

IT Nonlinear optical materials

(diffraction behavior of phenothiazine derivative-containing photorefractive)

IT Diffraction gratings

(writing and erasing of photorefractive materials containing phenothiazine derivs.)

IT 109-77-3, Malononitrile 530-50-7, 1,1-Diphenylhydrazine

RL: RCT (Reactant); RACT (Reactant or reagent)

(condensation reaction with ethylhexyl phenothiazinyl aldehyde)

IT: 501116-23-0

RL: RCT (Reactant); RACT (Reactant or reagent)

(condensation reactions with malononitrile or diphenylhydrazine)

IT 129-79-3, 2,4,7-Trinitro-9H-fluoren-9-one

RL: MOA (Modifier or additive use); PRP (Properties); USES (Uses) (diffraction behavior of photorefractive materials containing phenothiazine derivs. and containing)

IT 501116-21-8P 501116-22-9P 501117-66-4P

RL: PNU (Preparation, unclassified); PRP (Properties); PREP (Preparation)

(preparation and diffraction behavior of photorefractive)

IT 501116-22-9P

RL: PNU (Preparation, unclassified); PRP (Properties); PREP (Preparation)

(preparation and diffraction behavior of photorefractive)

RN 501116-22-9 HCAPLUS

CN 10H-Phenothiazine-3,7-dicarboxaldehyde, 10-(2-ethylhexyl)-, bis(diphenylhydrazone) (9CI) (CA INDEX NAME)

RE.CNT 18 THERE ARE 18 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

L66 ANSWER 10 OF 25 HCAPLUS COPYRIGHT 2007 ACS on STN

AN 2001:713694 HCAPLUS

DN 135:249443

TI Organophotoreceptors for electrophotography comprising hydrazone charge transport compounds

IN Jubran, Nusrallah; Tokarski, Zbigniew; Smith, Terrance P.

PA Imation Corp., USA

SO PCT Int. Appl., 38 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

GI

PATENT NO. KIND DATE APPLICATION NO. DATE _ _ _ _ 20010927 PΤ WO 2001071430 **A1** WO 2000-US21553 20000807 <--W: JP, KR RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE US 6340548 B1 20020122 US 2000-526789 20000316 <--PRAI US 2000-526789 20000316 Α MARPAT 135:249443 OS

R9R10N NR7R8

The invention features an organic photoreceptor that includes: (a) a charge transport compound I (R1,2 = H, C1-6 alkyl, or aryl group;
R3= hydrazone H2C=N-NR4R5 (R4,5 = H, C1-6 alkyl, aryl); R6= aryl group;
alkyl; a group - (CH2)n-Ar (n ≥ 3, Ar = aryl group); or carbazole
group II (R7-10= H, C1-C6 alkyl group), or aryl group; n ≥ 3; and
one or more methylene groups is optionally substituted with a heteroatom);
(b) a charge generating compound; and (c) an electroconductive
substrate. These organic photoreceptors can be used successfully with liquid
toners to produce high quality images.

II

IC ICM G03G005-06 ICS C07D209-00

CC 74-3 (Radiation Chemistry, Photochemistry, and Photographic and Other Reprographic Processes)

Ι

ST electrophotog org photoreceptor hydrazone charge transport compd

IT Electrophotographic photoconductors (photoreceptors)

(hydrazone charge transport compound in electrophotog.

organophotoreceptors)

IT 56-37-1, Benzyltriethyl ammonium chloride 86-28-2, N-Ethylcarbazole

86-74-8 Carbazole 112-71-0 1-Bromotetradecape 143-15-7

86-74-8, Carbazole 112-71-0, 1-Bromotetradecane 143-15-7, 1-Bromododecane 618-40-6, N-Methyl-N-phenylhydrazine 629-04-9, 1-Bromoheptane 637-59-2, 1-Bromo-3-phenylpropane 765-09-3,

1-Bromotridecane 10025-87-3, Phosphoric trichloride 18908-66-2, 2-Ethylhexylbromide 19249-03-7, Triethylene glycol di-p-tosylate 187148-77-2, N-2-Ethylhexylcarbazole 360789-05-5
RL: RCT (Reactant); RACT (Reactant or reagent) (hydrazone charge transport compound in electrophotog.

IT 4041-20-7P, N-Heptylcarbazole 4101-68-2P, 1,10-Dibromodecane 20863-23-4P, N-Dodecyl carbazole 20863-25-6P, N-Tetradecylcarbazole 60834-42-6P 70207-46-4P 110045-73-3P 169051-20-1P, N-2-Ethylhexyl-3,6-diformyl carbazole 173483-07-3P 183275-89-0P 197297-44-2P 360789-03-3P 360789-04-4P 360789-06-6P 360789-07-7P 360789-08-8P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(hydrazone charge transport compound in electrophotog.

organophotoreceptors)

organophotoreceptors)

TT 95640-40-7P 360788-93-8P 360788-94-9P 360788-95-0P 360788-96-1P 360788-97-2P 360788-98-3P 360788-99-4P 360789-00-0P 360789-01-1P 360789-02-2P

RL: SPN (Synthetic preparation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)

(hydrazone charge transport compound in electrophotog. organophotoreceptors)

IT 95640-40-7P 360788-93-8P 360788-94-9P 360788-95-0P 360788-96-1P 360788-97-2P 360788-98-3P 360789-01-1P 360789-02-2P

RL: SPN (Synthetic preparation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)

(hydrazone charge transport compound in electrophotog. organophotoreceptors)

RN 95640-40-7 HCAPLUS

CN 9H-Carbazole-3,6-dicarboxaldehyde, 9-ethyl-, bis(methylphenylhydrazone) (9CI) (CA INDEX NAME)

RN 360788-93-8 HCAPLUS

CN 9H-Carbazole-3,6-dicarboxaldehyde, 9-heptyl-, bis(methylphenylhydrazone) (9CI) (CA INDEX NAME)

RN 360788-94-9 HCAPLUS

CN 9H-Carbazole-3,6-dicarboxaldehyde, 9-dodecyl-, bis(methylphenylhydrazone) (9CI) (CA INDEX NAME)

RN 360788-95-0 HCAPLUS

CN 9H-Carbazole-3,6-dicarboxaldehyde, 9-tridecyl-, bis(methylphenylhydrazone) (9CI) (CA INDEX NAME)

RN 360788-96-1 HCAPLUS

CN 9H-Carbazole-3,6-dicarboxaldehyde, 9-tetradecyl-, bis(methylphenylhydrazone) (9CI) (CA INDEX NAME)

RN 360788-97-2 HCAPLUS

CN 9H-Carbazole-3,6-dicarboxaldehyde, 9-(3-phenylpropyl)-, bis(methylphenylhydrazone) (9CI) (CA INDEX NAME)

RN 360788-98-3 HCAPLUS

CN 9H-Carbazole-3,6-dicarboxaldehyde, 9-(2-ethylhexyl)-, bis(methylphenylhydrazone) (9CI) (CA INDEX NAME)

$$\begin{array}{c} \text{Et} \\ \text{n-Bu-CH-CH}_2 \\ \\ \text{Ph} \\ \\ \text{Me-N-N-CH} \end{array}$$

RN 360789-01-1 HCAPLUS

CN 9H-Carbazole-3,6-dicarboxaldehyde, 9,9'-(1,10-decanediyl)bis-, tetrakis(methylphenylhydrazone) (9CI) (CA INDEX NAME)

$$\begin{array}{c} Ph \\ \\ Me-N-N = CH \\ \\ \\ (CH_2)_{10} \\ \\ \\ Me-N-N = CH \\ \end{array}$$

RN 360789-02-2 HCAPLUS

CN 9H-Carbazole-3,6-dicarboxaldehyde, 9,9'-[1,2-ethanediylbis(oxy-2,1-ethanediyl)]bis-, tetrakis(methylphenylhydrazone) (9CI) (CA INDEX NAME)

PAGE 1-A

$$\begin{array}{c} \text{Ph} \\ \\ \text{Me} - \text{N} - \text{N} = \text{CH} \\ \\ \text{CH}_2 \\ \\ \text{CH}$$

PAGE 2-A

$$\begin{array}{c} & & | \\ & \text{CH2} \\ | & \\ & \text{N} \\ \text{Me-N-N-CH} \end{array}$$

RE.CNT 18 THERE ARE 18 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

L66 ANSWER 11 OF 25 HCAPLUS COPYRIGHT 2007 ACS on STN

AN 2001:141038 HCAPLUS

DN 134:320146

TI Double-level "orthogonal" dynamic combinatorial libraries on transition metal template

AU Goral, Vasiliy; Nelen, Marina I.; Eliseev, Alexey V.; Lehn, Jean-Marie

CS Department of Chemistry, State University of New York, Buffalo, NY, 14260, USA

SO Proceedings of the National Academy of Sciences of the United States of America (2001), 98(4), 1347-1352 CODEN: PNASA6; ISSN: 0027-8424

PB National Academy of Sciences

DT Journal

LA English

OS CASREACT 134:320146

Dynamic combinatorial libraries are mixts. of compds. that exist in a dynamic equilibrium and can be driven to compositional self adaptation via selective binding of a specific assembly of certain components to a mol. The authors present an extension of this initial concept to dynamic libraries that consists of two levels, the first formed by the coordination of terpyridine-based ligands to the transition metal template, and the second, by the imine formation with the aldehyde substituents on the terpyridine moieties. Dialdehyde 5,5'-carbaldehyde-2,2':6',2''-terpyridine (7) was synthesized, converted into a variety of ligands, oxime ethers L11-L33 and acyl hydrazones L44-L77, and subsequently into corresponding Co complexes. A typical complex, Co(L22)22+ is shown to engage in rapid exchange with a competing ligand L11 and with another complex, Co(L22)22+ in 30% MeCN/H2O at pH 7.0 and 25°. The exchange in the corresponding Co(III) complexes is much slower. Imine exchange in the acyl hydrazone complexes (L44-L77) is strongly controlled by pH and temperature The two types of exchange, ligand

and

imine, can thus be used as independent equilibrium processes controlled by different types of external intervention, i.e., via oxidation/reduction of the metal template and/or change in the pH/temperature of the medium. The resulting

double-level dynamic libraries are therefore named orthogonal, in similarity with the orthogonal protecting groups in organic synthesis. Sample libraries of this type were synthesized and showed the complete expected set of components in electrospray ionization MS.

CC 78-7 (Inorganic Chemicals and Reactions)

ST combinatorial library double level orthogonal cobalt terpyridine complex; cobalt terpyridine acylhydrazone prepn dynamic combinatorial library; transition metal template orthogonal dynamic combinatorial library

IT Oximes

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(O-alkyl; preparation and complexation with cobalt ion for preparation of double-level orthogonal combinatorial library)

IT Hydrazones

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(acyl; preparation and complexation with cobalt ion for preparation of double-level orthogonal combinatorial library)

IT Substitution reaction kinetics

(coordinative; ligand and imine exchange in dynamic double-level orthogonal combinatorial library of cobalt complexes of terpyridine-based ligands with acylhydrazone substituents)

IT Combinatorial library

(double-level orthogonal; from coordination of terpyridine-based ligands to cobalt template and from imine formation with aldehyde substituents on terpyridine moieties)

IT Imination kinetics

(transimination; ligand and imine exchange in dynamic double-level orthogonal combinatorial library of cobalt complexes of terpyridine-based ligands with acylhydrazone substituents)

IT Combinatorial chemistry

(via ligand exchange of terpyridine-based ligands on cobalt template and from imine exchange with acylhydrazone substituents on terpyridine moieties)

IT 553-53-7, Nicotinic hydrazide 937-39-3 1068-57-1, Acetylhydrazide 5351-23-5, 4-Hydroxybenzoylhydrazide

RL: RCT (Reactant); RACT (Reactant or reagent)

(condensation with diformylterpyridine in preparation of dynamic double-level orthogonal combinatorial library of cobalt terpyridine

complexes)

IT 82682-61-9, 2,6-Bis(trimethylstannyl)pyridine
RL: RCT (Reactant); RACT (Reactant or reagent)

(coupling with bromopyridyldioxolane)

IT 624-28-2, 2,5-Dibromopyridine

RL: RCT (Reactant); RACT (Reactant or reagent)
 (formylation of)

IT 2687-43-6, O-Benzylhydroxylamine hydrochloride 3332-29-4,
 O-Ethylhydroxylamine hydrochloride 4229-44-1, Methylhydroxylamine
 hydrochloride

RL: RCT (Reactant); RACT (Reactant or reagent)
 (imination of diformylterpyridine)

IT 149806-06-4P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation and aldehyde protection with propanediol)

IT 334987-32-5P 334987-33-6P 334987-34-7P 334987-35-8P 334987-36-9P 334987-37-0P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation and complexation with cobalt ion for preparation of double-level

orthogonal combinatorial library)

IT 334987-30-3P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation and coupling with bis(trimethylstannyl)pyridine)

IT 334987-31-4P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation and deprotection to give dialdehyde)

IT 334987-50-7P 334987-56-3P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation and peroxide oxidation of)

IT 334987-55-2P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation in dynamic double-level orthogonal combinatorial library of cobalt complexes of terpyridine-based ligands with acylhydrazone substituents)

IT 334987-39-2P 334987-41-6P **334987-47-2P** 334987-49-4P

334987-52-9P 334987-54-1P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP

(Preparation); RACT (Reactant or reagent)

(preparation of dynamic double-level orthogonal combinatorial library of cobalt complexes of terpyridine-based ligands with acylhydrazone substituents)

IT 334987-43-8P 334987-45-0P

RL: PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of dynamic double-level orthogonal combinatorial library of cobalt complexes of terpyridine-based ligands with acylhydrazone substituents and kinetics of imine exchange)

IT 228864-57-1P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation, condensation with O-alkyl hydroxylamines or acylhydrazide, and reactions in dynamic double-level orthogonal combinatorial library of cobalt terpyridine complexes)

IT 334987-47-2P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP

(Preparation); RACT (Reactant or reagent)

(preparation of dynamic double-level orthogonal combinatorial library of cobalt complexes of terpyridine-based ligands with acylhydrazone substituents)

RN 334987-47-2 HCAPLUS

CN Cobalt(2+), bis[3-pyridinecarboxylic acid [([2,2':6',2''-terpyridine]-5,5''-diyl-κN1,κN1',κN1'')dimethylidyne]dihydrazide]-, (OC-6-1'2)-, bis[hexafluorophosphate(1-)] (9CI) (CA INDEX NAME)

CM 1

CRN 334987-46-1

CMF C58 H42 Co N18 O4


CCI CCS

CM 2

CRN 16919-18-9

CMF F6 P

CCI CCS



RE.CNT 33 THERE ARE 33 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

L66 ANSWER 12 OF 25 HCAPLUS COPYRIGHT 2007 ACS on STN

AN 2000:60450 HCAPLUS

DN 132:286199

TI Synthesis of some hydrazone compounds as **charge**-transporting agents

- AU Chen, Zhaobin; Zhang, Zhao; Miao, Xiaobin; Liu, Yufang; Bai, Fenglian; Mo, Yiming; Lu, Kaijuan; Wang, Zhuting
- CS Department of Chemistry, Shanxi University, Taiyuan, 030006, Peop. Rep. China
- SO Gongneng Cailiao (1999), 30(6), 668-669, 672 CODEN: GOCAEA; ISSN: 1001-9731
- PB Gongneng Cailiao Bianjibu
- DT Journal
- LA Chinese
- AB 4-Dimethylaminobenzaldehyde diphenylhydrazone, 4-diphenylaminobenzaldehyde diphenylhydrazone, and 4,4'-phenyliminobisbenzaldehyde bis(diphenylthydrazone) were synthesized from diphenylamine, via N-nitrosodiphenylamine and N,N-diphenylhydrazine, and 4-dimethylaminobenzaldehyde, 4-diphenylaminobenzaldehyde, and 4,4'-phenyliminobisbenzaldehyde, resp., and details of the preparative procedures are given. The hydrazone compds. were used as charge -transporting agents for electrophotog. photoreceptors.
- CC 74-3 (Radiation Chemistry, Photochemistry, and Photographic and Other Reprographic Processes)
 Section cross-reference(s): 76
- ST hydrazone charge transporting agent electrophotog photoreceptor
- IT Electrophotographic photoconductors (photoreceptors)

(synthesis of hydrazone charge-transporting agents for)

IT 86-30-6P, N-Nitroso-diphenylamine 530-50-7P, N,N-Diphenylhydrazine RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation and reaction in synthesis of hydrazones as **charge** -transporting agents for electrophotog photoreceptors)

- IT 100-10-7, 4-Dimethylaminobenzaldehyde 122-39-4, Diphenylamine, reactions 4181-05-9, 4-Diphenylaminobenzaldehyde 53566-95-3, 4,4'-Phenyliminobisbenzaldehyde
 - RL: RCT (Reactant); RACT (Reactant or reagent)

(reaction in synthesis of hydrazones as **charge**-transporting agents for electrophotog photoreceptors)

IT 71135-02-9P 82532-76-1P, 4-Diphenylaminobenzaldehyde diphenylhydrazone 87755-91-7P

RL: DEV (Device component use); SPN (Synthetic preparation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)


(synthesis and use as charge-transporting agent for)

IT 87755-91-7P

RL: DEV (Device component use); SPN (Synthetic preparation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)

(synthesis and use as charge-transporting agent for)

- RN 87755-91-7 HCAPLUS
- CN Benzaldehyde, 4,4'-(phenylimino)bis-, bis(diphenylhydrazone) (9CI) (CA INDEX NAME)



L66 ANSWER 13 OF 25 HCAPLUS COPYRIGHT 2007 ACS on STN

```
AN 1998:631979 HCAPLUS
```

DN 129:308511

TI Organic photoconductor containing hydrazone and electrophotographic photoreceptor

IN Horiuchi, Tamotsu; Kodera, Tatsuya

PA Mitsubishi Paper Mills, Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 40 pp.

CODEN: JKXXAF

DT Patent

LA Japanese

FAN.CNT 1

THE CHI I					
:	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
ΡI	JP 10260544	Α	19980929	JP 1997-65793	19970319 <
	JP 3649846	B2	20050518		
PRAI	JP 1997-65793		19970319	<	
os	MARPAT 129:308511				
GT					

The material contains a hydrazone I or II [A = (substituted) alkenyl, (substituted) cycloalkenyl; R1, R2 = H, (substituted) alkyl, (substituted) alkenyl; R3, R4, R11, R12 = H, (substituted) alkyl, (substituted) alkoxy, halo; R5, R6, R13, R14 = H, (substituted) alkyl, (substituted) aryl, (substituted) heterocycles; R7, R8, R15, R16 = (substituted) alkyl, (substituted) alkenyl, (substituted) aralkyl, (substituted) aryl, (substituted) heterocycles; R9, R10 = H, (substituted) alkyl, (substituted) aryl, (substituted) heterocycle; m, n, p, q = 0-2]. The photoreceptor comprises a photosensitive layer containing I or II as a charge-transporting agent on an elec. conductive support. The photoreceptor shows high sensitivity and endurance.

IC ICM G03G005-06

ICS G03G005-06

CC 74-3 (Radiation Chemistry, Photochemistry, and Photographic and Other Reprographic Processes)

ST photoconductor hydrazone charge transporting agent

IT 135979-49-6P 207669-80-5P 212620-62-7P

RL: IMF (Industrial manufacture); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)

(electrophotog. photoconductor using hydrazone charge

-transporting agent)
IT 185129-51-5 214414-94

185129-51-5 214414-94-5 214414-95-6 214414-96-7 214414-97-8 214414-98-9 214414-99-0 214415-00-6 214415-01-7 214415-03-9

MCCLENDON 10/772069 03/13/2007 Page 39

214415-04-0 214415-05-1 214415-06-2

RL: TEM (Technical or engineered material use); USES (Uses) (electrophotog. photoconductor using hydrazone charge

-transporting agent)

IT 618-40-6 213883-98-8 213883-99-9 214414-93-4

RL: RCT (Reactant); RACT (Reactant or reagent)

(electrophotog. photoconductor using hydrazone charge

-transporting agent from)

IT 135979-49-6P 212620-62-7P

RL: IMF (Industrial manufacture); TEM (Technical or engineered material

use); PREP (Preparation); USES (Uses)

(electrophotog. photoconductor using hydrazone charge

-transporting agent)

RN 135979-49-6 HCAPLUS

CN Benzaldehyde, 4,4'-[(2-methyl-2-propenyl)imino]bis-, bis(methylphenylhydrazone) (9CI) (CA INDEX NAME)

$$\begin{array}{c} \text{CH}_2 \\ \text{CH}_2 - \text{C-Me} \\ \\ \text{Ph} \\ \text{Me-N-N-CH} \end{array}$$

RN 212620-62-7 HCAPLUS

CN Benzaldehyde, 4,4'-[(2,2-diphenylethenyl)imino]bis-, bis(methylphenylhydrazone) (9CI) (CA INDEX NAME)

$$\begin{array}{c|c} Ph & Ph \\ \hline \\ Me-N-N-CH & CPh_2 & \\ \hline \\ N-N-Me \end{array}$$

L66 ANSWER 14 OF 25 HCAPLUS COPYRIGHT 2007 ACS on STN

AN 1998:600749 HCAPLUS

DN 129:316171

TI Bis-Cationic heteroaromatics as macrofilaricides: synthesis of bis-amidine and bis-guanylhydrazone derivatives of substituted Imidazo[1,2-a]pyridines

AU Sundberg, Richard J.; Biswas, Sujay; Murthi, Krishna Kumar; Rowe, Donna; McCall, John W.; Dzimianski, Michael T.

CS Department of Chemistry, University of Virginia, Charlottesville, VA, 22901, USA

SO Journal of Medicinal Chemistry (1998), 41(22), 4317-4328 CODEN: JMCMAR; ISSN: 0022-2623

PB American Chemical Society

DT Journal

LA English

AB A series of guanylhydrazone, amidine, and hydrazone derivs. of 2-phenylimidazo[1,2-a]pyridine have been prepared and evaluated for macrofilarial activity against Acanthocheilonema viteae and Brugia pahangi in jirds. Compds. with 4',6-bis-substitution by cyclic guanylhydrazone

CC

ST

ΙT

. 03/13/2007 Page 40 groups show activity. 4',6-Bis-amidines show some activity but are more toxic; 4'- or 6-monosubstituted compds. are inactive. 2,6-Bis-substituted compds. lacking the Ph ring are inactive. 4',6-Bis-substituted compds. having addnl. double bonds inserted between the heterocyclic ring and the Ph ring or between the substituent and the ring system show reduced activity. 28-9 (Heterocyclic Compounds (More Than One Hetero Atom)) Section cross-reference(s): 1 imidazopyridine bisamidine bisquanylhydrazone prepn macrofilaricide Anthelmintics Antiviral agents (preparation and macrofilaricidal activity of bis-amidine and bis-guanylhydrazone derivs. of imidazopyridines)

IT 214958-41-5P 214958-42-6P 214958-43-7P 214958-44-8P 214958-45-9P 214958-46-0P 214958-47-1P 214958-48-2P 214958-49-3P 214958-50-6P 214958-51-7P 214958-52-8P 214958-53-9P 214958-54-0P 214958-55-1P 214958-59-5P 214958-56-2P 214958-57-3P 214958-58-4P 214958-60-8P 214958-61-9P 214958-62-0P 214958-63-1P 214958-64-2P 214958-65-3P 214958-66-4P 214958-67-5P 214958-68-6P **214958-69-7P** 214958-70-0P 214958-71-1P 214958-72-2P 214958-74-4P 214958-75-5P 214958-76-6P 214958-77-7P 214958-78-8P 214958-79-9P 214958-80-2P 214958-81-3P 214958-82-4P **214958-84-6P** RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)

(preparation and macrofilaricidal activity of bis-amidine and bis-guanylhydrazone derivs. of imidazopyridines)

TΤ 70-11-1, 2-Bromoacetophenone 70-23-5, Ethyl bromopyruvate 75-31-0, Isopropylamine, reactions 99-73-0, 2,4'-Dibromoacetophenone 109-76-2, 110-91-8, Morpholine, reactions 123-75-1, 1,3-Propanediamine 504-29-0, 2-Aminopyridine Pyrrolidine, reactions 1072-97-5. 2-Amino-5-bromopyridine 1552-41-6, Diethyl 4-cyanobenzylphosphonate 10024-89-2, Morpholine hydrochloride 20511-12-0. 2-Amino-5-iodopyridine 25150-61-2, Pyrrolidine hydrochloride 50398-09-9, 1-Methylpiperazine hydrochloride 93755-84-1 RL: RCT (Reactant); RACT (Reactant or reagent)

(preparation and macrofilaricidal activity of bis-amidine and bis-guanylhydrazone derivs. of imidazopyridines)

IT 156-57-0P, 2-Aminoethanethiol hydrochloride 4214-73-7P 38224-37-2P 38224-38-3P 55843-91-9P 61982-63-6P 118000-48-9P 118001-57-3P 149770-58-1P 214958-27-7P 214958-28-8P 214958-29-9P 214958-31-3P 214958-32-4P 214958-33-5P 214958-35-7P 214958-36-8P 214958-37-9P 214958-39-1P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation and macrofilaricidal activity of bis-amidine and bis-guanylhydrazone derivs. of imidazopyridines)

214958-30-2P IT 214958-34-6P 214958-38-0P 214958-40-4P 214958-73-3P 214958-83-5P

RL: SPN (Synthetic preparation); PREP (Preparation) (preparation and macrofilaricidal activity of bis-amidine and bis-guanylhydrazone derivs. of imidazopyridines)

TT 214958-69-7P 214958-70-0P 214958-84-6P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)

(preparation and macrofilaricidal activity of bis-amidine and bis-guanylhydrazone derivs. of imidazopyridines)

RN214958-69-7 HCAPLUS

CN Imidazo[1,2-a]pyridine-2,6-dicarboxaldehyde, bis[(1,4,5,6-tetrahydro-2MCCLENDON 10/772069

03/13/2007

Page 41

pyrimidinyl) hydrazone], trihydrobromide (9CI) (CA INDEX NAME)

$$\begin{array}{c|c} H & & \\ N & & \\ NH & & \\ \end{array}$$

●3 HBr

RN 214958-70-0 HCAPLUS

CN 1-Pyrrolidinecarboximidic acid, (imidazo[1,2-a]pyridine-2,6-diyldimethylidyne)dihydrazide, trihydrobromide (9CI) (CA INDEX NAME)

●3 HBr

RN 214958-84-6 HCAPLUS

CN Imidazo[1,2-a]pyridine-2,6-dicarboxaldehyde, bis[(4,5-dihydro-1H-imidazol-2-yl)hydrazone], trihydrobromide (9CI) (CA INDEX NAME)

$$\begin{array}{c|c}
H \\
N \\
N \\
H
\end{array}$$

$$\begin{array}{c|c}
H \\
N \\
N \\
H
\end{array}$$

$$\begin{array}{c|c}
H \\
N \\
N \\
H
\end{array}$$

$$\begin{array}{c|c}
H \\
N \\
N \\
H
\end{array}$$

•3 HBr

RE.CNT 82 THERE ARE 82 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

L66 ANSWER 15 OF 25 HCAPLUS COPYRIGHT 2007 ACS on STN

AN 1998:594738 HCAPLUS

DN 129:223238

TI Electrophotographic photoreceptor containing phthalocyanine derivative and styryl or hydrazone compound

IN Kodera, Tatsuya; Nagamura, Hideki; Horiuchi, Tamotsu

PA Mitsubishi Paper Mills, Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 40 pp. CODEN: JKXXAF

DT Patent

LA Japanese

```
FAN.CNT 1
     PATENT NO.
                        KIND
                                           APPLICATION NO.
                               DATE
                                                                  DATE
     ______
                         _ _ _ _
                                            ------
     JP 10239875
                                19980911
                                           JP 1997-47765
                                                                  19970303 <--
PRAI JP 1997-47765
                                19970303 <--
     MARPAT 129:223238
AB
     The title photoreceptor comprises a conductive support with a coating of a
     photosensitive layer containing ≥1 phthalocyanine compound as a
     charge-generating agent and, as a charge-transporting
     agent, ≥1 styryl compound R3CR4:CHN[A1(CH:CH)mCR1:CR7R8]2 or
     ≥1 hydrazone compound R5CR6:CHN[A2(CH:CH)nCR2:NNR9R10]2 [R1, R2 = H,
     alkyl, aryl; R3-8 = H, alkyl, alkenyl; aralkyl, aryl (these groups may be
     substituted); R9, R10 = alkyl, alkenyl, aralkyl, aryl (these groups may be
     substituted), R3and R4, R5 and R6, R7 and R8 or R9 and R10 may form a
     ring; A1, A2 = divalent aromatic ring or atoms required to form a heterocycle
     along with the N atoms (these rings may be substituted); m, n = 0 or 1].
     The photoreceptor shows high photosensitivity and durability in repeated
IC
     ICM G03G005-06
     ICS G03G005-06
CC
     74-3 (Radiation Chemistry, Photochemistry, and Photographic and Other
     Reprographic Processes)
ST
     phthalocyanine electrophotog charge generating agent; hydrazone
     compd charge transporting agent electrophotog; styryl compd
     charge transporting agent electrophotog
IT
     Electrophotographic photoconductors (photoreceptors)
        (electrophotog. photoreceptor containing phthalocyanine charge
        -generating agent and styryl or hydrazone compound charge
        -transporting agent)
IT
     130662-90-7
                  130662-91-8
                                131302-40-4
                                              131302-41-5
                                                            212620-40-1
     212620-41-2
                  212620-42-3 212620-43-4
                                                            212620-45-6
                                              212620-44-5
     212620-46-7 212620-47-8 212620-48-9
                                              212620-49-0
                                                            212620-50-3
     212620-51-4 212620-52-5 212620-53-6
                                              212620-56-9
                                                            212620-57-0
     212620-58-1 212620-59-2 212620-60-5
                                                            212620-62-7
                                              212620-61-6
     212620-63-8 212620-64-9 212620-65-0
                                              212620-66-1
                                                            212620-67-2
     212620-68-3 212620-69-4 212620-70-7
     RL: DEV (Device component use); USES (Uses)
        (electrophotog. photoreceptor containing phthalocyanine charge
        -generating agent and styryl or hydrazone compound charge
        -transporting agent)
IT
     130662-96-3P 131302-14-2P
     RL: DEV (Device component use); PNU (Preparation, unclassified); PREP
     (Preparation); USES (Uses)
        (electrophotog. photoreceptor containing phthalocyanine charge
        -generating agent and styryl or hydrazone compound charge
        -transporting agent)
     147-14-8, Copper phthalocyanine 574-93-6, Phthalocyanine
                                                                 13930-88-6,
    Vanadyl phthalocyanine 14154-42-8 19631-19-7, Chloroindium
    phthalocyanine
                    19717-79-4, Chlorogallium phthalocyanine
                                                                55948-33-9,
    Diphenoxygermanium phthalocyanine 63371-84-6, Hydroxygallium
    phthalocyanine
    RL: DEV (Device component use); PEP (Physical, engineering or chemical
    process); PROC (Process); USES (Uses)
        (electrophotog. photoreceptor containing phthalocyanine compound with
       specific diffraction spectrum as charge-generating agent)
TT
    26201-32-1P, Titanyl phthalocyanine
    RL: DEV (Device component use); PEP (Physical, engineering or chemical
    process); PNU (Preparation, unclassified); PREP (Preparation); PROC
```

(electrophotog, photoreceptor containing phthalocyanine compound with

(Process); USES (Uses)

specific diffraction spectrum as charge-generating agent)

IT 135979-49-6

RL: RCT (Reactant); RACT (Reactant or reagent)

(preparation of hydrazone compound charge-transporting agent)

IT 172905-12-3

RL: RCT (Reactant); RACT (Reactant or reagent)

(preparation of styryl compound charge-transporting agent)

IT 3468-11-9, 1,3-Diiminoisoindoline 5593-70-4

RL: RCT (Reactant); RACT (Reactant or reagent)
 (preparation of titanylphthalocyanine)

IT 131302-14-2P

RL: DEV (Device component use); PNU (Preparation, unclassified); PREP (Preparation); USES (Uses)

(electrophotog. photoreceptor containing phthalocyanine charge

-generating agent and styryl or hydrazone compound charge

-transporting agent)

RN 131302-14-2 HCAPLUS

CN Benzaldehyde, 4,4'-[(2-methyl-1-propenyl)imino]bis-, bis(methylphenylhydrazone) (9CI) (CA INDEX NAME)

$$\begin{array}{c|c} & \text{CH} & \text{CMe}_2 \\ & \text{Ph} & & \\ & \text{Me} & \text{N} & \text{N} & \text{CH} & \\ & \text{N} & \text{N} & \text{Me} \end{array}$$

L66 ANSWER 16 OF 25 HCAPLUS COPYRIGHT 2007 ACS on STN

AN 1998:259852 HCAPLUS

DN 128:328759

TI Electrophotographic photoreceptors containing phthalocyanine **charge**-generating substance and hydrazone **charge**-transporting
substance

IN Taniguchi, Satoko; Horiuchi, Tamotsu

PA Mitsubishi Paper Mills, Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 44 pp. CODEN: JKXXAF

DT Patent

LA Japanese

FAN.CNT 1

PATENT NO. KIND DATE APPLICATION NO. DATE

PI JP 10111578 A 19980428 JP 1996-266458 19961008 <-PRAI JP 1996-266458 19961008 <--

OS MARPAT 128:328759

GI

```
MCCLENDON 10/772069
                         03/13/2007
                                         Page 44
     The title photoreceptors comprise a conductive support coated with a
AB
     single layer-type photosensitive layer containing a phthalocyanine
     charge-generating substance and a hydrazone charge
     -transporting substance I [R1 = C≥5 alkyl, aryl, aralkyl,
     heterocyclyl, CR5R6R7; R2 = alkyl, alkenyl, aryl, aralkyl, heterocyclyl;
     R3, R4 = H, alkyl, alkoxy, halo; R5, R6 = H, alkyl; R7 = alkenyl]. The
     photoreceptors show high charge potential, photosensitivity, and
     durability in repeated use.
IC
     ICM G03G005-06
     ICS G03G005-06
     74-3 (Radiation Chemistry, Photochemistry, and Photographic and Other
CC
     Reprographic Processes)
ST
     electrophotog photoreceptor phthalocyanine hydrazone charge
     transporter
```

IT Electrophotographic photoconductors (photoreceptors) (electrophotog. photoreceptor containing phthalocyanine charge -generating substance and hydrazone charge-transporting substance)

87755-90-6 87755-91-7 IT 151107-44-7 153534-61-3 172905-12-3 207128-98-1 199471-43-7 207128-91-4 207128-94-7 207128-96-9 207128-99-2 207129-00-8 207129-01-9 207129-02-0 207129-03-1 207129-04-2

RL: DEV (Device component use); USES (Uses) (electrophotog. photoreceptor containing phthalocyanine charge -generating substance and hydrazone charge-transporting substance)

IT 135979-49-6P 199471-41-5P

RL: DEV (Device component use); PNU (Preparation, unclassified); PREP (Preparation); USES (Uses)

(electrophotog. photoreceptor containing phthalocyanine charge -generating substance and hydrazone charge-transporting substance)

IT 26201-32-1P

> RL: DEV (Device component use); PNU (Preparation, unclassified); PRP (Properties); PREP (Preparation); USES (Uses) (electrophotog. photoreceptor containing phthalocyanine charge -generating substance and hydrazone charge-transporting substance)

TT 147-14-8, Copper phthalocyanine 574-93-6, Phthalocyanine 13930-88-6 14154-42-8 19631-19-7, Chloroindium phthalocyanine 19717-79-4, 55948-33-9, Diphenoxygermanium Chlorogallium phthalocyanine phthalocyanine 63371-84-6, Hydroxygallium phthalocyanine RL: DEV (Device component use); PRP (Properties); USES (Uses) (electrophotog. photoreceptor containing phthalocyanine charge -generating substance and hydrazone charge-transporting substance)

IT 618-40-6 3468-11-9, 1,3-Diiminoisoindoline 207129-05-3 207129-06-4 RL: RCT (Reactant); RACT (Reactant or reagent) (electrophotog. photoreceptor containing phthalocyanine charge -generating substance and hydrazone charge-transporting substance)

IT 135979-49-6P 199471-41-5P

> RL: DEV (Device component use); PNU (Preparation, unclassified); PREP (Preparation); USES (Uses)

(electrophotog. photoreceptor containing phthalocyanine charge -generating substance and hydrazone charge-transporting substance)

RN 135979-49-6 HCAPLUS

Benzaldehyde, 4,4'-[(2-methyl-2-propenyl)imino]bis-, CN bis (methylphenylhydrazone) (9CI) (CA INDEX NAME)

$$\begin{array}{c} \text{CH}_2 \\ | | \\ \text{CH}_2 - \text{C-Me} \\ \\ \text{N} \\ \text{Me-N-N-CH} \end{array}$$

RN 199471-41-5 HCAPLUS

CN Benzaldehyde, 4,4'-(hexylimino)bis-, bis(methylphenylhydrazone) (9CI) (CA INDEX NAME)

$$\begin{array}{c|c} Ph & Ph \\ | & (CH_2)_5 - Me \\ | & CH = N - N - Me \end{array}$$

L66 ANSWER 17 OF 25 HCAPLUS COPYRIGHT 2007 ACS on STN

AN 1997:443729 HCAPLUS

DN 127:190564

TI: Cleavage of (octaethyl-2,3-dihydroxychlorinato)nickel(II) to give the novel 2,3-dioxo-2,3-secochlorin system

AU Adams, Keith R.; Bonnett, Raymond; Burke, Philip J.; Salgado, Antonio; Valles, Maria Asuncion

CS Dep. Chem., Queen Mary and Westfield Coll., Univ. London, London, El 4NS,

SO Journal of the Chemical Society, Perkin Transactions 1: Organic and Bio-Organic Chemistry (1997), (12), 1769-1772 CODEN: JCPRB4; ISSN: 0300-922X

PB Royal Society of Chemistry

DT Journal

LA English

OS CASREACT 127:190564

GI

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB Treatment of (octaethyl-2,3-dihydroxychlorinato)nickel(II) with lead tetraacetate in benzene causes cleavage of the 2-3 bond to give the nickel(II) 2,3-secochlorin-2,3-dione system I, a previously unknown structural type. The structure is established by elemental anal. and spectroscopic methods, and confirmed by X-ray anal. The dione gives a bis(2,4-dinitrophenylhydrazone). Treatment with base causes an aldol-type condensation to occur to give the (2-oxo-2a-homoporphyrinato)nickel(II) II. This substance is rather unreactive, and it has not been possible to prepare carbonyl derivs. This lack of reactivity is rationalized in terms of charge delocalization which reduces carbonyl double-bond character. These novel pathways are discussed in relation to the known

(and different) pathways of chlorophyll catabolism which have recently been uncovered.

CC 26-7 (Biomolecules and Their Synthetic Analogs)

ST octaethyldihydroxychlorinatonickel ring cleavage lead tetraacetate; dioxosecochlorin nickel complex prepn cyclocondensation; oxohomoporphyrinatonickel prepn

IT Ring opening

(ring cleavage of (octaethyl-2,3-dihydroxychlorinato)nickel with lead tetraacetate)

IT 74071-47-9 127939-91-7

RL: RCT (Reactant); RACT (Reactant or reagent)
(ring cleavage of (octaethyl-2,3-dihydroxychlorinato)nickel with lead
tetraacetate)

IT 156279-51-5P 156279-53-7P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(ring cleavage of (octaethyl-2,3-dihydroxychlorinato)nickel with lead tetraacetate)

IT 100762-96-7P 156279-52-6P 194415-23-1P

RL: SPN (Synthetic preparation); PREP (Preparation) (ring cleavage of (octaethyl-2,3-dihydroxychlorinato)nickel with lead tetraacetate)

IT 194415-23-1P

RL: SPN (Synthetic preparation); PREP (Preparation) (ring cleavage of (octaethyl-2,3-dihydroxychlorinato)nickel with lead tetraacetate)

RN 194415-23-1 HCAPLUS

CN Nickel, [[1,1'-(4,5,9,10,18,19-hexaethyl-14,20,21,22-tetraazatetracyclo[15.2.1.13,6.18,11]docosa-1,3(22),4,6,8,10,12,14,16,18-decaene-13,15-diyl-\kn14,\kn20,\kn21,\kn22)bis[1-propanone] bis[(2,4-dinitrophenyl)hydrazonato]](2-)]-, (SP-4-2)- (9CI) (CA INDEX NAME)

RE.CNT 33 THERE ARE 33 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

L66 ANSWER 18 OF 25 HCAPLUS COPYRIGHT 2007 ACS on STN

AN 1995:375129 HCAPLUS

DN 123:241904

TI Electrophotographic photoreceptor

IN Kondo, Akihiro; Machino, Masaru; Masuda, Akiko; Morimoto, Kyobumi; Enomoto, Kazuhiro

PA Sharp Kk, Japan

SO Jpn. Kokai Tokkyo Koho, 30 pp. CODEN: JKXXAF

DT Patent

LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 06332204	A	19941202	JP 1993-120021	19930521 <
PRAI	JP 2898170 JP 1993-120021	B2	19990531 19930521	· <	
OS GT	MARPAT 123:241904				

$$\begin{array}{c|c} CH_2)_n \\ \hline \\ CHN \\ \hline \end{array}$$

AB The photoreceptor contains an enamine compound I [n = 2-4, X = :NNAB, :CQR; A,B = (substituted) aryl, (substituted) heterocycle, (substituted) aralkyl, C1-5 alkyl; R,Q = (substituted) aryl, (substituted) heterocycle, (substituted) aralkyl, C1-5 alkyl, H, R≠Q≠H] in the photosensitive layer. The photoreceptor shows high sensitivity in repeated use.

IC ICM G03G005-06

CC 74-3 (Radiation Chemistry, Photochemistry, and Photographic and Other Reprographic Processes)

ST electrophotog photoreceptor enamine compd; charge transporting agent electrophotog photoreceptor

IT Electrophotographic photoconductors and photoreceptors
(electrophotog. photoreceptor containing enamine compound as charge transporting agent)

IT 161800-86-8 161800-87-9 161800-88-0 161800-89-1 161800-90-4 161800-91-5 161800-92-6 161800-93-7 161800-94-8 161800-96-0 161800-97-1 161800-98-2 161800-99-3 161801-00-9 161801-01-0 161801-02-1 161801-03-2

RL: DEV (Device component use); USES (Uses)

(electrophotog. photoreceptor containing enamine compound as **charge** transporting agent)

IT **161800-85-7P** 161800-95-9P

RL: DEV (Device component use); PNU (Preparation, unclassified); PREP (Preparation); USES (Uses)

(electrophotog. photoreceptor containing enamine compound as charge transporting agent)

IT 122-39-4, Diphenylamine, reactions 618-40-6, N-Phenyl-N-methyl hydrazine 1080-32-6, Diethyl benzylphosphonate 18278-24-5, 1-Formyl-1,2,3,4-tetrahydronaphthalene

RL: RCT (Reactant); RACT (Reactant or reagent)
 (preparation of enamine compound)

IT 161800-85-7P

RL: DEV (Device component use); PNU (Preparation, unclassified); PREP

(Preparation); USES (Uses)

(electrophotog. photoreceptor containing enamine compound as charge transporting agent)

RN 161800-85-7 HCAPLUS

CN Benzaldehyde, 4,4'-[[(3,4-dihydro-1(2H)-naphthalenylidene)methyl]imino]bis-, bis(methylphenylhydrazone) (9CI) (CA INDEX NAME)

L66 ANSWER 19 OF 25 HCAPLUS COPYRIGHT 2007 ACS on STN

AN 1991:218043 HCAPLUS

DN 114:218043

TI Electrophotographic photoreceptor containing novel hydrazone compound

IN Itoh, Akira; Haino, Kozo

PA Mitsubishi Paper Mills, Ltd., Japan

SO Eur. Pat. Appl., 13 pp.

CODEN: EPXXDW

DT Patent

LA English

FAN.CNT 1

	71M11 O111						
	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE '		
ΡI	EP 385185	A2	19900905	EP 1990-102876	19900214 <		
	EP 385185	A3	19901128				
	EP 385185	B1	19940518				
	R: DE, FR, GB				•		
	JP 02226160	Α	19900907	JP 1989-48298	19890227 <		
	JP 05016025	В	19930303	•			
	US 5009976	Α	19910423	US 1990-484836	19900226 <		
PRAI	JP 1989-48298	Α	19890227	<			
os	MARPAT 114:218043						
GT					•		

$$\begin{array}{c|c}
R^4 \\
R^1 N \\
R^3
\end{array}$$

AB The title photoreceptor contains a **charge**-transporting agent from I [R1, R2 = alkyl, alkenyl, aralkyl, aryl, heterocyclyl; ≥1 of R1 and R2 is alkenyl; R3, R4 = H, alkyl, alkoxy, halogen]. The material has superior carrier transporting functions.

IC ICM G03G005-06

CC 74-3 (Radiation Chemistry, Photochemistry, and Photographic and Other Reprographic Processes) Section cross-reference(s): 25

ST hydrazone charge transporting agent; electrophotog photoconductor hydrazone

IT Hydrazones

RL: USES (Uses)

(as charge-transporting agents in photoconductors)

IT Electrophotographic photoconductors

(with novel hydrazone compound as charge-transporting agent)

IT 133804-69-0 133804-70-3 133804-71-4 133804-72-5

RL: USES (Uses)

(as charge-transporting agent in photoconductors)

IT 133804-73-6P 133804-74-7P 133804-75-8P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation and use of, as charge-transporting agent in photoconductors)

IT 133804-73-6P 133804-74-7P 133804-75-8P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation and use of, as charge-transporting agent in photoconductors)

RN 133804-73-6 HCAPLUS

CN Benzaldehyde, 4,4'-(2-propenylimino)bis-, bis(ethylphenylhydrazone) (9CI) (CA INDEX NAME)

$$\begin{array}{c|c} CH_2-CH = CH_2 \\ \hline Ph & & Ph \\ \hline Et-N-N = CH & CH = N-N-Et \\ \end{array}$$

RN 133804-74-7 HCAPLUS

CN Benzaldehyde, 4,4'-[(2-methyl-2-propenyl)imino]bis-, bis(ethylphenylhydrazone) (9CI) (CA INDEX NAME)

$$\begin{array}{c} \text{CH}_2 \\ | | \\ \text{CH}_2 - \text{C-Me} \\ \\ \text{Ph} \\ | \\ \text{Et-N-N-CH} \end{array}$$

RN133804-75-8 HCAPLUS

CNBenzaldehyde, 4,4'-(2-butenylimino)bis-, bis(diphenylhydrazone) (9CI) INDEX NAME)

$$\begin{array}{c} \text{CH}_2\text{--}\text{CH} = \text{CH} - \text{Me} \\ \\ \text{N} \\ \\ \text{Ph}_2\text{N} - \text{N} = \text{CH} \\ \end{array}$$

L66 ANSWER 20 OF 25 HCAPLUS COPYRIGHT 2007 ACS on STN

1991:52866 HCAPLUS AN

DN 114:52866

TI Electrophotographic photoreceptor hydrazone-containing carrier-transporting layer

IN Haino, Kozo; Ito, Akira; Okaji, Makoto; Emoto, Kazuhiro; Kodera, Tatsuya; Takaoka, Kazuchiyo

PA Mitsubishi Petrochemical Co., Ltd., Japan

so Ger. Offen., 49 pp.

CODEN: GWXXBX

DT Patent

LΆ German

FAN.	CNT 1				
	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PΙ	DE 4000437	A1	19900712	DE 1990-4000437	19900109 <
	DE 4000437	C2	19990812		
	JP 02183260	Α	19900717	JP 1989-3345	19890109 <
	JP 02184856	A	19900719	JP 1989-3966	19890110 <
	JP 02184859	Α	19900719	JP 1989-3969	19890110 <
	JP 02184860	A	19900719	JP 1989-5193	19890111 <
	JP 02186357	A	19900720	JP 1989-6648	19890113 <
	JP 02259766	A	19901022	JP 1989-81269	19890331 <
	US 5089366	A	19920218	US 1990-463033	19900103 <
PRAI	JP 1989-3345	Α	19890109	<	
	JP 1989-3966	Α	19890110	<	
	JP 1989-3969	A	19890110	<	
	JP 1989-5193	Α	19890111	<	
	JP 1989-6648	Α	19890113	<	
	JP 1989-81269	A	19890331	<	
os	MARPAT 114:52866				
GT					

Ι

$$R^6R^7C = CHNR^1$$
 (CH = CH) $n - CR^3 = NNR^4R^5$

AB The title photoreceptors, which have a high photosensitivity, high charging characteristics, essentially no change in sensitivity upon repeated use, and a stable charge potential, contain a hydrazone of the structure I (R1= alkyl, aralkyl, aryl, heterocyclyl, or together with the adjacent ring can form a ring system; R2=H, alkyl, or alkoxy; R3=H, alkyl, aryl; R4= alkyl, aralkyl, aryl; R5= alkyl, aralkyl, aryl, alkenyl; R6,R7=H, alkyl, aralkyl, or aryl; n= 0or1), A[(CH:CHnCR8:NNR CH:CR10R11]m (R8=H, alkyl, or aryl; R9= alkyl, aralkyl, or aryl; R10, R11=H, alkyl, aralkyl, aryl, or together can form a ring; A=an aromatic or heterocyclic ring; m=1 or 2; n=0 or 1), and R15R16C:CHN[A(CH:CH)nCR12:NNR13R14]2 (R12=R8 above; R13, R14 = R9 above; R15, R16 = R10,R11 above; A = a bond, an atom, or a group of atoms capable of forming a N-containing heterocycle; n = 0 or 1). Thus, an Al-coated polyester support was overcoated with a bisazo compound-containing composition to

produce a carrier-generating layer and then with composition containing II, U-Polymer, and dichloroethane to give a carrier-transporting layer. The resultant material showed an original potential of -970 V and a potential after 1000 cycles of -950 V.

IC ICM G03G005-06

ICS G03G013-28; G03G005-043

ICA G03G005-05; G03G005-09; C07C251-80; C07D521-00; C07D209-86; C07D227-04; C07D265-34; C07D279-14; C07D333-20

CC 74-3 (Radiation Chemistry, Photochemistry, and Photographic and Other Reprographic Processes)

ST arom hydrazone charge transport electrophotog

IT Electrophotographic photoconductors

(with **charge** carrier-transporting layer containing aromatic hydrazone for improved sensitivity and **charging** characteristics)

IT 130024-81-6 130024-82-7 130024-83-8 130024-84-9 130024-85-0 130024-86-1 131302-15-3 131302-16-4 131302-17-5 131302-18-6 131302-23-3 131302-19-7 131302-20-0 131302-21-1 131302-22-2 131302-24-4 131302-25-5 131302-26-6 131302-27-7 131302-28-8 131302-29-9 131302-30-2 131302-31-3 131302-32-4 131302-33-5 131302-37-9 131302-34-6 131302-35-7 131302-36-8 131302-38-0 131302-39-1 131302-40-4 131302-41-5 131302-42-6 131325-44-5 131325-45-6 131325-46-7 131325-47-8 131325-48-9

RL: USES (Uses)

(electrophotog. photoreceptor containing charge carrier-transporting agent from)

TT 131302-10-8P 131302-11-9P 131302-12-0P 131302-13-1P 131302-14-2P 131325-43-4P

RL: PREP (Preparation)

(preparation of, as charge carrier-transporting agent for electrophotog. photoconductor)

IT 563-47-3 5032-08-6 131302-43-7 131302-45-9

MCCLENDON 10/772069 03/13/2007 Page 52.

RL: RCT (Reactant); RACT (Reactant or reagent)
(reaction of, in preparation of hydrazone charge
carrier-transporting agent for electrophotog.)

IT 131302-44-8

RL: RCT (Reactant); RACT (Reactant or reagent)
(reaction of, with Ph hydrazine in preparation of hydrazone charge
carrier-transporting agent for electrophotog.)

IT 117346-00-6

RL: RCT (Reactant); RACT (Reactant or reagent)
(reaction of, with metal chloride in preparation of hydrazone charge carrier-transporting agent for electrophotog.)

IT 130662-97-4

RL: RCT (Reactant); RACT (Reactant or reagent)
(reaction of, with methylphenyl hydrazine in preparation of hydrazone
charge carrier-transporting agent for electrophotog.)

IT 131302-14-2P

RL: PREP (Preparation)

(preparation of, as **charge** carrier-transporting agent for electrophotog. photoconductor)

RN 131302-14-2 HCAPLUS

CN Benzaldehyde, 4,4'-[(2-methyl-1-propenyl)imino]bis-, bis(methylphenylhydrazone) (9CI) (CA INDEX NAME)

$$\begin{array}{c|c} CH & CMe_2 \\ \hline Ph & Ph \\ \hline Me-N-N & CH \\ \hline \end{array}$$

L66 ANSWER 21 OF 25 HCAPLUS COPYRIGHT 2007 ACS on STN

AN 1990:523846 HCAPLUS

DN 113:123846

TI Electrophotographic photoreceptors using a trihydrazone compound as a charge-transporting agent

IN Mishima, Masayuki; Yamazaki, Harumasa; Sakuma, Tadashi; Togashi, Hiroyasu

PA Kao Corp., Japan

SO Jpn. Kokai Tokkyo Koho, 9 pp. CODEN: JKXXAF

DT Patent

LA Japanese

FAN.CNT 1

PATENT NO. KIND DATE APPLICATION NO. DATE

PI JP 01298364 A 19891201 JP 1988-129305 19880526 <-
PRAI JP 1988-129305 19880526 <--

OS MARPAT 113:123846

GI For diagram(s), see printed CA Issue.

AB Electrophotog. photoreceptors comprise, a conductive support, a charge-generating layer, and a charge-transporting layer containing trihydrazone compds. I [R, R1-2 = H, (substituted) alkyl which may be branched, (substituted) aryl, (substituted) aralkyl, R ≠ R1 ≠ R2 = H; R3-8 = (substituted) alkyl which may be branched,

(substituted) aryl, (substituted) aralkyl, (substituted) heterocycle, R3 and R4, R5 and R6, and R7 and R8 may form a ring]. The photoreceptors exhibit good sensitivity and durability. Thus, an Al substrate was coated with a composition containing VO phthalocyanine and S-Lec BM-2 (butyral resin) and overcoated with a composition containing I (R = R1 = R2 = Me; R3-8 = Ph) and Lexan 141-111 (polycarbonate resin) to give a photoreceptor. IC ICM G03G005-06 ICS C09B026-02 74-3 (Radiation Chemistry, Photochemistry, and Photographic and Other CC Reprographic Processes) Section cross-reference(s): 25 ST electrophotog photoreceptor charge transporting agent; hydrazone electrophotog photoreceptor TT Electrophotographic photoconductors (charge transporting agents for, trihydrazones as, with good sensitivity and durability) IT 574-93-6, Phthalocyanine 13930-88-6, Vanadyl phthalocyanine RL: USES (Uses) (charge generating agent, for electrophotog. photoreceptors containing trihydrazone compound as charge-transporting agent) IT 129334-09-4 129334-10-7 129334-11-8 129334-12-9 RL: USES (Uses) (charge transporting agent, for electrophotog. photoreceptors) IT 129334-08-3P RL: SPN (Synthetic preparation); PREP (Preparation) (preparation and use of, as charge transporting agent, for electrophotog. photoreceptors) IT 530-47-2, N,N-Diphenylhydrazine hydrochloride RL: RCT (Reactant); RACT (Reactant or reagent) (reaction of, with acetylphenylamine, trihydrazone compound from, for electrophotog. photoreceptors) IT 4181-21-9, 4,4',4''-Triacetyltriphenylamine RL: RCT (Reactant); RACT (Reactant or reagent) (reaction of, with phenylhydrazine, trihydrazone compound from, for electrophotog. photoreceptors) TT 129334-08-3P RL: SPN (Synthetic preparation); PREP (Preparation) (preparation and use of, as charge transporting agent, for electrophotog. photoreceptors) RN 129334-08-3 HCAPLUS CNEthanone, 1,1',1''-(nitrilotri-4,1-phenylene)tris-,

tris(diphenylhydrazone) (9CI) (CA INDEX NAME)

```
L66
     ANSWER 22 OF 25 HCAPLUS COPYRIGHT 2007 ACS on STN
AN
     1989:605379 HCAPLUS
DN
     111:205379
     Composite electrophotographic photoreceptor containing charge
ΤI
     -transporting hydrazone
     Goto, Satoshi; Abe, Naoto; Mitsui, Shozo; Sasaki, Osamu; Hirano, Akira
IN
PA
     Konica Co., Japan
     Jpn. Kokai Tokkyo Koho, 11 pp.
so
     CODEN: JKXXAF
DT
     Patent
LΑ
     Japanese
FAN.CNT 1
     PATENT NO.
                         KIND
                                DATE
                                            APPLICATION NO.
                                                                   DATE
                         _ _ _ _
                                _____
                                            ______
PТ
     JP 01033557
                          Α
                                19890203
                                            JP 1987-191420
                                                                   19870729 <--
PRAI JP 1987-191420
                                19870729 <--
     The title photoreceptor has a photosensitive layer containing ≥1 compound
AB
     having the formula A1R1NN:CHA3N(A5)A4CH:NNR2A2 (A1, A2, A5 = aryl; A3, A4
     = arylene; R1, R2 = alkyl, aryl).
IC
     ICM G03G005-06
     ICS C09B055-00
CC
     74-3 (Radiation Chemistry, Photochemistry, and Photographic and Other
     Reprographic Processes)
ST
     electrophotog photoreceptor charge transporting hydrazone
IT
     Electrophotographic photoconductors
        (composite, charge-transporting hydrazones for)
                                 86467-99-4 89547-68-2
TT
     4378-61-4, Monolite Red 2Y
                                                            93754-52-0
     105274-85-9
                  121671-16-7
     RL: TEM (Technical or engineered material use); USES (Uses)
        (electrophotog. charge-generating agent)
IT
     123451-09-2
                   123451-10-5
                                 123451-11-6
                                               123451-12-7
                                                             123451-13-8
     123451-14-9
                   123451-15-0
                                 123451-16-1
                                               123451-17-2
                                                             123451-18-3
     123451-19-4
                   123451-20-7
     RL: USES (Uses)
```

KATHLEEN FULLER EIC1700 REMSEN 4B28 571/272-2505

(preparation and use of, as electrophotog. charge-transporting

(reaction of, electrophotog. charge-transporting hydrazone

(electrophotog. charge-transporting agent)

RL: RCT (Reactant); RACT (Reactant or reagent)

53566-95-3

RL: SPN (Synthetic preparation); PREP (Preparation)

IT

IT

87755-91-7P

agent)

530-50-7

from)

IT 87755-91-7P

RL: SPN (Synthetic preparation); PREP (Preparation) (preparation and use of, as electrophotog. charge-transporting

RN 87755-91-7 HCAPLUS

CN Benzaldehyde, 4,4'-(phenylimino)bis-, bis(diphenylhydrazone) (9CI) (CA INDEX NAME)

L66 ANSWER 23 OF 25 HCAPLUS COPYRIGHT 2007 ACS on STN

AN 1984:510610 HCAPLUS

DN 101:110610

TI Metalloporphyrins in polymeric matrices, micelles, and vesicles. VI.
Hydrophobic and hydrophilic derivatives of 3,8-diformyldeuteroporphyrin
dimethyl ester and their interaction with vesicles

AU Fuhrhop, Juergen Hinrich; Lehmann, Thomas

CS Inst. Org. Chem., Freie Univ. Berlin, Berlin, 1000/33, Fed. Rep. Ger.

SO Liebigs Annalen der Chemie (1984), (6), 1057-67

CODEN: LACHDL; ISSN: 0170-2041

DT Journal

LA English

GI

AB 3,8-Diformyldeuteroporphyrin di-Me ester (I, R = CHO, R1 = Me) was obtained by ozonization of I (R = vinyl, R1 = Me). Derivs. I [R = CHO, CH(OMe)2, CH:NOH, cyano, CH:C(CO2Me)2 CH:C(CO2H)2, CH:NC6H4NH2-4, CH2NHC6H4NH2-4, CH2NHC6H4N[(CH2)15Me]2-4, CH:NNHCOCH2N+Me3Cl-] have been prepared; they are either hydrophobic, or bear hydrophilic substituents in the northern hemisphere of the porphyrin ligand or on both sides. The porphyrins have been dissolved in aqueous media containing vesicles with electroneutral, -neg., or -pos. surface charges. The localization of the dissolved porphyrin chromophore was determined spectroscopically after reaction of the central porphyrin N atoms or of

tetramethyl-21H,23H-porphine-2,7-diyl]bis(methylidyne-1-hydrazinyl-2-ylidene)]bis[N,N,N-trimethyl-2-oxo-, dichloride (9CI) (CA INDEX NAME)

●2 Cl~

ANSWER 24 OF 25 HCAPLUS COPYRIGHT 2007 ACS on STN L66 1983:594620 HCAPLUS AN DN 99:194620 Phenylhydrazones and their use ΤI Neumann, Peter; Etzbach, Karl Heinz; Eilingsfeld, Heinz; Hoffmann, Gerhard IN BASF A.-G. , Fed. Rep. Ger. PA Ger. Offen., 26 pp. SO CODEN: GWXXBX DT Patent LA German FAN.CNT 1 PATENT NO. KIND DATE APPLICATION NO. DATE ----PΙ DE 3201202 **A1** 19830728 19820116 <--DE 1982-3201202 EP 84147 **A2** 19830727 EP 1982-111818 19821220 <--EP 84147 Α3 19840905 19870527 EP 84147 B1 R: CH, DE, FR, GB, IT, LI US 4465857 19840814 US 1982-454281 Α 19821229 <--JP 58131954 Α 19830806 JP 1983-2354 19830112 <--JP 03056594 19910828 В PRAI DE 1982-3201202 Α 19820116

$$RR^{1}NZCH = NNR^{2}$$
 $PhMeN$ $CH = NNMePh$ II

- AB I [Z = (un) substituted phenylene or naphthalene; R = H, C1-4 alkyl, aryl; R1 = aryl; R2 = H, C1-4 alkyl, aryl; R3 = H, halo, or C1-4 alkyl or alkoxy] were prepared and used as **charge** carriers in electrophotog. Thus, 4-PhMeNC6H4CHO was treated with PhMeNNH2 in N-methylpyrrolidone to give II.
- IC C07C109-16; G03G005-06

MARPAT 99:194620

OS

GI

CC 25-15 (Benzene, Its Derivatives, and Condensed Benzenoid Compounds) Section cross-reference(s): 74 MCCLENDON 10/772069 03/13/2007 Page 58

ST arom hydrazone electrophotog

IT 82532-74-9P 82532-76-1P 87755-83-7P 87755-84-8P 87755-85-9P 87755-86-0P 87755-87-1P 87755-88-2P 87755-89-3P 87755-90-6P 87755-91-7P

RL: SPN (Synthetic preparation); PREP (Preparation) (preparation of, as charge carrier for use in electrophotog.)

IT 100-63-0
 RL: RCT (Reactant); RACT (Reactant or reagent)

(reaction of, with (diphenylamino)benzaldehyde)

IT 530-50-7 618-40-6

RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with aminobenzaldehydes)

IT 4181-05-9 29377-71-7 53566-95-3 55489-38-8 87755-82-6 RL: RCT (Reactant); RACT (Reactant or reagent)

: RCT (Reactant); RACT (Reactant or reager (reaction of, with arylhydrazines)

IT 87755-88-2P 87755-89-3P 87755-90-6P 87755-91-7P

RL: SPN (Synthetic preparation); PREP (Preparation) (preparation of, as charge carrier for use in electrophotog.)

RN 87755-88-2 HCAPLUS

CN Benzaldehyde, 4,4'-(methylimino)bis-, bis(methylphenylhydrazone) (9CI) (CA INDEX NAME)

RN 87755-89-3 HCAPLUS

CN Benzaldehyde, 4,4'-(methylimino)bis-, bis(diphenylhydrazone) (9CI) (CA INDEX NAME)

$$Ph_2N-N=CH$$
 Me
 $N-NPh_2$

RN 87755-90-6 HCAPLUS

CN Benzaldehyde, 4,4'-(phenylimino)bis-, bis(methylphenylhydrazone) (9CI) (CA INDEX NAME)

RN 87755-91-7 HCAPLUS

MCCLENDON 10/772069 03/13/2007 Page 59

Benzaldehyde, 4,4'-(phenylimino)bis-, bis(diphenylhydrazone) (9CI) CN INDEX NAME)

$$\begin{array}{c|c} & \text{Ph} \\ & & \\ & \text{N} \\ & \text{Ph}_2\text{N} - \text{N} \\ & \text{CH} \\ & \text{N} - \text{NPh}_2 \end{array}$$

L66 ANSWER 25 OF 25 HCAPLUS COPYRIGHT 2007 ACS on STN

1968:486882 HCAPLUS AN

69:86882 DN

New, potentially antiviral thiosemicarbazones, 4-oxo-2-thiazolinyl-2-TI hydrazones and thiazolidin-4-ones

Buu-Hoi, N. P.; Saint-Ruf, G.; Perche, J. C.; Bourgeade, J. C. ΑU

CS Inst. Chim. Subst. Natur., C.N.R.S., Gif-sur-Yvette, Fr.

so Chimica Therapeutica (1968), 3(2), 110-15 CODEN: CHTPBA; ISSN: 0009-4374

DT Journal

LA French

GI

For diagram(s), see printed CA Issue. Thiosemicarbazones (I), 4-oxo-Δ2-thiazolin-2-ylhydrazones (II), and AB thiazolidin-4-ones were synthesized from heterocyclic aldehydes and ketones, especially isatins, and showed antiviral properties towards DNA or RNA-viruses in tissue cultures. 1-(N-Dialkylaminomethyl) isatins were also examined for antiviral activity. The dimethylisatin starting materials were prepared by acetylation of N-acetylated phenothiazine. I were prepared by refluxing the appropriate aldehyde on ketone, in EtOH, 3-6 hrs., with a slight excess of thiosemicarbazide, in the presence of AcOH. The precipitate obtained was dried, washed with aqueous EtOH and recrysted., giving a product which tended to decompose on melting. II were prepared by refluxing the appropriate I in EtOH with excess ClCH2CO2H and NaOAc. The precipitate was dried, washed with EtOH and recrystd., usually from AcOH. 5,6-Dimethyl-hydroxymethylisatin (III) was prepared by refluxing 15 g. 5,6-dimethylisatin in 1500 cc. H2O containing 25 cc. 32% HCHO and filtering hot at the start of precipitation The filtrate was cooled, dried and recrystd. from MeOH to give an orange-yellow product m. 172°. N-(dipropylaminomethyl)-isatin m. 54°; Ndicyclohexylaminomethylisatin m. 168°; N-(butylaminomethyl)isatin m. 59°; 5,6-dimethyl-N-(piperidinomethyl)isatin m. 133°; and 5,6-dimethyl-N-(morpholinomethyl)-isatin, m. 178°, were similarly prepared The Schiff base N-(9-ethylcarbazol-3-yl)methylenaniline, m. 130°, was prepared and treated with HSCH2CO2H in C6H6 to give 2-(9-ethylcarbazol-3-yl)-3-phenyl-4-thiazolidinone (IV), m. 195°; 2-(9-ethylcarbazol-3-yl)-3-(2-naphthyl)-4-thiazolidinone, m. 282°, was similarly prepared from $\beta\text{-N-}(9\text{-ethylcarbazol-3-}$ yl) methylenenaphthylamine, m. 70°; 3-anilino-2-(9-ethylcarbazol-3yl)thiazolidinone, m. 185°, was prepared from 9-ethyl-3formylcarbazole; its β-naphthylhydrazone, m. 178°; gave β,3-naphthylamino-2-(9-ethylcarbazol-3-yl)-4-thiazolidinone, m. 245-6°. 17 references. 28 (Heterocyclic Compounds (More Than One Hetero Atom)) CC

ST carbazoles; thiazolidinones; isatins; indolines; naphthyl heterocycles; antiviral semicarbazones heterocycles; semicarbazones heterocycles antiviral; heterocycles semicarbazones antiviral

IT Virucides

```
(4-thiazolidinone, 2-thiazolin-4-one, and thiosemicarbazone derivs. as)
IT
     3525-74-4P
                  3608-81-9P
                              17765-80-9P 17765-85-4P
                                                            17765-89-8P
     19850-07-8P
                   19850-08-9P
                                 19850-09-0P
                                                19850-10-3P
                                                              19850-55-6P
     19850-56-7P
                   19850-57-8P
                                 19850-58-9P
                                                19850-59-0P
                                                              19850-60-3P
                   19850-71-6P
     19850-61-4P
                                 19850-72-7P
                                                19850-73-8P
                                                              19850-74-9P
     19850-75-0P 19850-76-1P
                               19850-77-2P
                                              19989-30-1P
     20834-70-2P
     RL: BAC (Biological activity or effector, except adverse); BSU (Biological
     study, unclassified); SPN (Synthetic preparation); BIOL (Biological
     study); PREP (Preparation)
        (preparation and virucidal activity of)
IT
     4553-11-1P
                  17765-84-3P
                                17765-87-6P
                                               17765-88-7P
                                                             19850-44-3P
     19850-47-6P
                   19850-48-7P
                                 19850-49-8P
                                                19850-50-1P
                                                              19850-51-2P
     19850-53-4P
     RL: SPN (Synthetic preparation); PREP (Preparation)
        (preparation and virucidal properties of)
IT
     19850-04-5P
                   19850-05-6P
                                 19850-06-7P
                                                19850-11-4P
                                                              19850-34-1P
     19850-35-2P
                   19850-65-8P
                                 19850-67-0P
                                                19850-68-1P
                                                              19850-69-2P
     19850-70-5P
                   19850-78-3P
                                 19850-79-4P
                                                19850-80-7P
                                                              19850-81-8P
     19850-82-9P
                   19850-83-0P
                                 20976-97-0P
     RL: SPN (Synthetic preparation); PREP (Preparation)
        (preparation of)
IT
     19850-76-1P
     RL: BAC (Biological activity or effector, except adverse); BSU (Biological
     study, unclassified); SPN (Synthetic preparation); BIOL (Biological
     study); PREP (Preparation)
        (preparation and virucidal activity of)
RN
     19850-76-1 HCAPLUS
CN
     Carbazole, 3,6-diacetyl-9-ethyl-, bis[(4-oxo-2-thiazolin-2-yl)hydrazone]
           (CA INDEX NAME)
```

$$\begin{array}{c|c}
 & \text{Et} \\
 & \text{N} \\
 & \text{N$$

=>